



KST No 70100202 Dated 03/09/1984
CST No 70150205 Dated 03/09/1984
TIN No 29440405909 Dated 13/09/2005
CIN-U85110KA1970SGC001919

PURCHASE ENQUIRY

OFFICE OF THE
SUPERINTENDING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION,
KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail eemspbtps@karnatakapower.com

Sealed itemwise quotations/offers against below mentioned enquiries are invited from manufactures/authorised dealers/reputed suppliers. The details of these enquiries are also available on website www.karnatakapower.com .

Sl No	Enquiry No Date	Subject	Last Date Of Receipt /Opening of Tender
1	SE(S&P)BTPS/EL/EETM/17-18/389 13/12/2017	Procurement of Oil Seal	23/02/2018 15:00 23/02/2018 15:30
2	SE(S&P)BTPS/EL/EEPS/17-18/390 13/12/2017	Procurement of PVC Flexible Conduit Pipes	23/02/2018 15:00 23/02/2018 15:30
3	SE(S&P)BTPS/EL/EEIC1/17-18/391 13/12/2017	Procurement of Oil Gun Engauge Limit Switch	23/02/2018 15:00 23/02/2018 15:30
4	SE(S&P)BTPS/EL/EEIC1/17-18/392 13/12/2017	Procurement of Flow Indicator	23/02/2018 15:00 23/02/2018 15:30
5	SE(S&P)BTPS/EL/EEIC1/17-18/395 13/12/2017	Procurement of I/P Converter	23/02/2018 15:00 23/02/2018 15:30
6	SE(S&P)BTPS/EL/EETM/17-18/398 19/12/2017	Procurement of Door Seals	23/02/2018 15:00 23/02/2018 15:30
7	SE(S&P)BTPS/EL/ADPH/17-18/446 23/01/2018	Procurement of Discharge Rods	23/02/2018 15:00 23/02/2018 15:30

The offers may be submitted well within due date of receipt. Any further details can be had from above office by written requisition.

SUPERINTENDING ENGINEER(S&P)BT

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below.

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	2430103019	OIL SEAL 30X16X17 OIL SEAL 30x16x17 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10
2	2430103027	OIL SEAL 12.7X21.5X7 OIL SEAL 12.7X21.5X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	50
3	2430103035	OIL SEAL 15X24X7 OIL SEAL 15X24X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10
4	2430103043	OIL SEAL 40X55X7 OIL SEAL 40X55X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	6
5	2430103051	OIL SEAL 22X35X7 OIL SEAL 22X35X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	40
6	2430103060	OIL SEAL 25X35X7 OIL SEAL 25X35X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	40
7	2430103078	OIL SEAL 20X40X10 OIL SEAL 20X40X10 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10

PURCHASE ENQUIRY**PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017**

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
8	2430103086	OIL SEAL 18X35X7 OIL SEAL 18X35X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	20
9	2430103094	OIL SEAL 30X40X7 OIL SEAL 30X40X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	16
10	2430103108	OIL SEL 35X52X 7 OIL SEAL 35x52x7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10
11	2430103116	OIL SEALL 70X90X10 OIL SEAL 70X90X10 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10
12	2430103124	OIL SEAL 17X32X7 OIL SEAL 17X32X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10
13	5414201077	O-RING 104.14X5.33 Size:104.14x5.33, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed booster pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	8
14	5414201085	O-RING 148.59X5.33 Size:148.59x5.33, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	8
15	5414201093	O-RING 164.69X3.53 Size:164.69x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg.	NUMBERS	16

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS		
16	5414201107	O-RING 120.02X5.33 Size:120.02x5.33, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max,(Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	8
17	5414201115	O-RING 215.27X5.33 Size:215.27x5.33, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	6
18	5414201123	O-RING 190.09X3.53 Size:190.09x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	12
19	5414201131	O-RING 179.7X5.33 Size:179.7x5.33, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	6
20	5811501303	SLEEVE O-RING ID=70MM,THICKNESS=3.25MM MAKE: Max Spare (spareage)/Bombay oil seals/SS Ruber	NUMBERS	15
21	2430103132	OIL SEAAL 35X50X10 OIL SEAL 35X50X10 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10
22	2430103141	OIL SEAL 50X70X10 OIL SEAL 50X70X10 MATERIAL: NBR/MS,SPECIFIC GRAVITY: 1.22 Gms/CC(ASTMD792), Hardness: 70-75 Shore A degree(ASTM D 2240), Tensile Strength : >102 kg/sqcm(ASTM D 412),	NUMBERS	15

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Elongation at break : >250%(ASTM D 412), Withstand a temprature of 100 Deg C Make: Max Spare (spareage)/Bombay oil seals/SS Ruber.		
23	2430201088	VITON RUBBER CHORDS 3.5MM VITON RUBBER CHORDS 3.5MM VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand the pressure 200 ksc & Temperature 200 deg.) MAKE:BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	METRES	30
24	2430201134	VITON RUBBER CHORD 6.0MM VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand the pressure 200 ksc & Temperature 200 deg.) MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	METRES	30
25	2430201177	VITON RUBBER 8.0MM VITONVITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand the pressure 200 ksc & Temperature 200 deg.) MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	METRES	30
26	5310831044	QUAD RING (CF-FILTER ELEMENT) QUAD RING , Size :- ID 73x83x5.3 mm Material:-VITON-700 SHORE Hardness 70 to 75 deg.C Tensile Strength-115 ksc min. Elongation at Break-180% min. Compression Test-24Hrs/200 deg.C/20% max. MEDIA USED: FYRQUEL-EHC-46. For HP/IP supply unit filter element MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	25
27	5311505311	O-RING SEAL KIT-201 Seal kit should consists of O-rings materil: VITONVITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /15-20% max, (Withstand the pressure 200 ksc & Temperature -30-200 deg.). Compatibility:Mineral oil, Bio oils, water soluble, MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	1
28	5311505329	O-RING SEAL KIT-202 Seal kit should consists of O-rings materil: VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /15-20% max, (Withstand the pressure 200 ksc & Temperature -30-200 deg.). Compatibility:Mineral oil, Bio oils, water soluble, water glycol fluids, all kinds of servo oils, Fyrquel oil etc., MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	1
29	5311505337	O-RING SEAL KIT-204 Seal kit should consists of O-rings materil: VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-	NUMBERS	1

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		24Hr/200 deg. C /15-20% max, (Withstand the pressure 200 ksc & Temperature -30-200 deg.). Compatibility:Mineral oil, Bio oils, water soluble, water glycol fluids, all kinds of servo oils, Fyrquel oil etc., MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS		
30	5311505345	O-RING SEAL KIT-206 Seal kit should consists of O-rings materil: VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /15-20% max, (Withstand the pressure 200 ksc & Temperature -30-200 deg.). Compatibility:Mineral oil, Bio oils, water soluble, water glycol fluids, all kinds of servo oils, Fyrquel oil etc., MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	1
31	5312150303	O-RING 68X5 O-RING ID=68 TICK= 5MM, VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /15-20% max, O-Rings required for Thrust bearing shell (Withstand the pressure 200 ksc & Temperature 200 deg.)Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	20
32	5321503022	O-RING 370X5 O-RING ID=370 TICK= 5MM, VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /15-20% max, O-Rings required for Thrust bearing shell (Withstand the pressure 200 ksc & Temperature 200 deg.)Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	8
33	5410209022	O' RING (250X8) O RING 250mm X 8mm for MDBFP cooler. Matetial: Viton rubber-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.) MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	6
34	5410210021	'O' RING (400X8) Matetial: Viton rubber-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.) for MDBFP cooler MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	6
35	5410210039	O-RING 378X8 Matetial: Viton rubber-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.) Application:MDBFP cooler MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	6

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
36	5414201000	O-RING 202.87X2 Size:202.87x2, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Main control valve of TDBFP governing system MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	12
37	5414201018	O-RING 32.92X3.53 Size:39.2x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Main control valve of TDBFP governing system MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	6
38	5414201026	O-RING 40.87X3.53 Size:40.87x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:BFP/BP Mechanical seal skid magnetic filters MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	12
39	5414201034	O-RING 69.44X3.53 Size:69.44x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:BFP/BP Mechanical seal skid magnetic filters MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	12
40	5414201042	O-RING 114.2X5.7 Size:114.2x5.7, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed booster pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	8
41	5414201051	O-RING 148.82X3.53 Size:148.82x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max,(Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed booster pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	8
42	5414201069	O-RING 82.14X3.53 Size:82.14x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.),	NUMBERS	8

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Application:Boiler feed booster pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS		

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **23/02/2018 15:00**
- 2 . Opening Date of quotations/tenders/offers : **23/02/2018 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 VALIDITY : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- 2 PRICES: The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST d) Freight , e) item wise HSN code.
- 3 TERMS OF PAYMENT : 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 TRANSPORT: Material shall be transported only through reputed transporters on door delivery basis.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

- 10** EARNEST MONEY DEPOSIT: If the quoted value is more than Rs. 50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperate sealed cover. Exemption Certificate for EMD/SD issued by NSIC or by any State Govt or Central Govt will be considered.
- 11** AGREEMENT: An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on pre-paid stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12** SECURITY DEPOSIT: If the landing cost of the purchase order exceeds Rs.50000.00 (Fifty Thousand), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalized/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13** DELIVERY PERIOD: The materials shall be delivered within 30 days from the date of issue of purchase order.
- 14** SUIT OR PROCEEDINGS: Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15** F O R AND CONSIGNEE: The material shall be delivered through reputed transporters on Door delivery basis to BTPS Stores, KPCL, Kudathini, which is situated on NH-63 approximately 24 Km from Bellary at the following address : Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd.,Kudathini -583 152,Bellary - Dist., Karnataka - State,Mobile no.: 9448290750, Fax No.: 08392 288616

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail eemspbtps@karnatakapower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below.

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	2430103019	OIL SEAL 30X16X17 OIL SEAL 30x16x17 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10
2	2430103027	OIL SEAL 12.7X21.5X7 OIL SEAL 12.7X21.5X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	50
3	2430103035	OIL SEAL 15X24X7 OIL SEAL 15X24X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10
4	2430103043	OIL SEAL 40X55X7 OIL SEAL 40X55X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	6
5	2430103051	OIL SEAL 22X35X7 OIL SEAL 22X35X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	40
6	2430103060	OIL SEAL 25X35X7 OIL SEAL 25X35X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	40
7	2430103078	OIL SEAL 20X40X10 OIL SEAL 20X40X10 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10

PURCHASE ENQUIRY**PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017**

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
8	2430103086	OIL SEAL 18X35X7 OIL SEAL 18X35X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	20
9	2430103094	OIL SEAL 30X40X7 OIL SEAL 30X40X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	16
10	2430103108	OIL SEL 35X52X 7 OIL SEAL 35x52x7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10
11	2430103116	OIL SEALL 70X90X10 OIL SEAL 70X90X10 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10
12	2430103124	OIL SEAL 17X32X7 OIL SEAL 17X32X7 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10
13	5414201077	O-RING 104.14X5.33 Size:104.14x5.33, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed booster pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	8
14	5414201085	O-RING 148.59X5.33 Size:148.59x5.33, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	8
15	5414201093	O-RING 164.69X3.53 Size:164.69x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg.	NUMBERS	16

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS		
16	5414201107	O-RING 120.02X5.33 Size:120.02x5.33, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max,(Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	8
17	5414201115	O-RING 215.27X5.33 Size:215.27x5.33, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	6
18	5414201123	O-RING 190.09X3.53 Size:190.09x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	12
19	5414201131	O-RING 179.7X5.33 Size:179.7x5.33, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	6
20	5811501303	SLEEVE O-RING ID=70MM,THICKNESS=3.25MM MAKE: Max Spare (spareage)/Bombay oil seals/SS Ruber	NUMBERS	15
21	2430103132	OIL SEAAL 35X50X10 OIL SEAL 35X50X10 MATERIAL:- NBR/MS, Specific gravity:- 1.22Gms/CC(ASTM D792),Hardness:- 70-75 Shore A degree(ASTM D 2240), Tensile Strength:- >102kg/sqcm(ASTM D 412),Elongation at break:->250%(ASTM D412), Withstand a temperatue of 100 Deg C. Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	10
22	2430103141	OIL SEAL 50X70X10 OIL SEAL 50X70X10 MATERIAL: NBR/MS,SPECIFIC GRAVITY: 1.22 Gms/CC(ASTMD792), Hardness: 70-75 Shore A degree(ASTM D 2240), Tensile Strength : >102 kg/sqcm(ASTM D 412),	NUMBERS	15

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Elongation at break : >250%(ASTM D 412), Withstand a temprature of 100 Deg C Make: Max Spare (spareage)/Bombay oil seals/SS Ruber.		
23	2430201088	VITON RUBBER CHORDS3.5MMC VITON RUBBER CHORDS 3.5MM VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand the pressure 200 ksc & Temperature 200 deg.) MAKE:BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	METRES	30
24	2430201134	VITON RUBBER CHORD 6.0MM VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand the pressure 200 ksc & Temperature 200 deg.) MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	METRES	30
25	2430201177	VITON RUBBER 8.0MM VITONVITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand the pressure 200 ksc & Temperature 200 deg.) MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	METRES	30
26	5310831044	QUAD RING (CF-FILTER ELEMENT) QUAD RING , Size :- ID 73x83x5.3 mm Material:-VITON-700 SHORE Hardness 70 to 75 deg.C Tensile Strength-115 ksc min. Elongation at Break-180% min. Compression Test-24Hrs/200 deg.C/20% max. MEDIA USED: FYRQUEL-EHC-46. For HP/IP supply unit filter element MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	25
27	5311505311	O-RING SEAL KIT-201 Seal kit should consists of O-rings materil: VITONVITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /15-20% max, (Withstand the pressure 200 ksc & Temperature -30-200 deg.). Compatibility:Mineral oil, Bio oils, water soluble, MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	1
28	5311505329	O-RING SEAL KIT-202 Seal kit should consists of O-rings materil: VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /15-20% max, (Withstand the pressure 200 ksc & Temperature -30-200 deg.). Compatibility:Mineral oil, Bio oils, water soluble, water glycol fluids, all kinds of servo oils, Fyrquel oil etc., MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	1
29	5311505337	O-RING SEAL KIT-204 Seal kit should consists of O-rings materil: VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-	NUMBERS	1

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		24Hr/200 deg. C /15-20% max, (Withstand the pressure 200 ksc & Temperature -30-200 deg.). Compatibility:Mineral oil, Bio oils, water soluble, water glycol fluids, all kinds of servo oils, Fyrquel oil etc., MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS		
30	5311505345	O-RING SEAL KIT-206 Seal kit should consists of O-rings materil: VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /15-20% max, (Withstand the pressure 200 ksc & Temperature -30-200 deg.). Compatibility:Mineral oil, Bio oils, water soluble, water glycol fluids, all kinds of servo oils, Fyrquel oil etc., MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	1
31	5312150303	O-RING 68X5 O-RING ID=68 TICK= 5MM, VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /15-20% max, O-Rings required for Thrust bearing shell (Withstand the pressure 200 ksc & Temperature 200 deg.)Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	20
32	5321503022	O-RING 370X5 O-RING ID=370 TICK= 5MM, VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc, Elogation at break-180% min, Compression test-24Hr/200 deg. C /15-20% max, O-Rings required for Thrust bearing shell (Withstand the pressure 200 ksc & Temperature 200 deg.)Make :- Max Spare(spareage)/Bombay oil seals/SS Ruber.	NUMBERS	8
33	5410209022	O' RING (250X8) O RING 250mm X 8mm for MDBFP cooler. Matetial: Viton rubber-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.) MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	6
34	5410210021	'O' RING (400X8) Matetial: Viton rubber-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.) for MDBFP cooler MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	6
35	5410210039	O-RING 378X8 Matetial: Viton rubber-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elogation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.) Application:MDBFP cooler MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	6

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
36	5414201000	O-RING 202.87X2 Size:202.87x2, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Main control valve of TDBFP governing system MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	12
37	5414201018	O-RING 32.92X3.53 Size:39.2x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Main control valve of TDBFP governing system MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	6
38	5414201026	O-RING 40.87X3.53 Size:40.87x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:BFP/BP Mechanical seal skid magnetic filters MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	12
39	5414201034	O-RING 69.44X3.53 Size:69.44x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:BFP/BP Mechanical seal skid magnetic filters MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	12
40	5414201042	O-RING 114.2X5.7 Size:114.2x5.7, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed booster pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	8
41	5414201051	O-RING 148.82X3.53 Size:148.82x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max,(Withstand pressure 50 ksc & Temperature 200 deg.), Application:Boiler feed booster pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS	NUMBERS	8
42	5414201069	O-RING 82.14X3.53 Size:82.14x3.53, Material:VITON-700 SHORE Hardness 70 to 75 deg. Tensile strength-115 ksc min, Elongation at break-180% min, Compression test-24Hr/200 deg. C /20% max, (Withstand pressure 50 ksc & Temperature 200 deg.),	NUMBERS	8

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Application:Boiler feed booster pump mechanical seal MAKE: BOMBAY OIL SEALS/MAX SAPRE(SPAREAGE)/SS RUBBERS		

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **23/02/2018 15:00**
- 2 . Opening Date of quotations/tenders/offers : **23/02/2018 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 VALIDITY : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- 2 PRICES: The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST d) Freight , e) item wise HSN code.
- 3 TERMS OF PAYMENT : 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 TRANSPORT: Material shall be transported only through reputed transporters on door delivery basis.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/EETM/17-18/389 DATE : 13/12/2017

- 10** EARNEST MONEY DEPOSIT: If the quoted value is more than Rs. 50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperate sealed cover. Exemption Certificate for EMD/SD issued by NSIC or by any State Govt or Central Govt will be considered.
- 11** AGREEMENT: An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on pre-paid stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12** SECURITY DEPOSIT: If the landing cost of the purchase order exceeds Rs.50000.00 (Fifty Thousand), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalized/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13** DELIVERY PERIOD: The materials shall be delivered within 30 days from the date of issue of purchase order.
- 14** SUIT OR PROCEEDINGS: Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15** F O R AND CONSIGNEE: The material shall be delivered through reputed transporters on Door delivery basis to BTPS Stores, KPCL, Kudathini, which is situated on NH-63 approximately 24 Km from Bellary at the following address : Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd.,Kudathini -583 152,Bellary - Dist., Karnataka - State,Mobile no.: 9448290750, Fax No.: 08392 288616

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail eemspbtps@karnatakapower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEPS/17-18/390 DATE : 13/12/2017

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below.

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	1218012295	PVC FLEXIBLE CONDUIT PIPES 1" PVC FLEXIBLE CONDUIT PIPES SIZE:1" MAKE: MODI/POLYCAB/FINOLEX	METRES	100
2	1301100163	PLUG TOP 16A Delux plug top 16A CONA Make code no:1991.	NUMBERS	100
3	1304011145	2X28W ELECTRONICBALLAST T5 FTL 2X28W AC SUPPLIED ELECTRONIC BALLAST FOR T5 FTL MODEL: BJHF 228 P WARM START SUITABLE FOR FTL LAMP Note:All electrical parameters, mounting arrangements should match with existing type BJHF 228 P of Bajaj MAKE: BAJAJ/Equivalent	NUMBERS	100
4	1304011242	6A SOCKET Five in one socket 6A,screw type, make: havells/ancor/lisha/cona.	NUMBERS	150
5	1304011251	16A SWITCH Single pole switch 16A,screw type, make: havells/ancor/lisha/cona.	NUMBERS	30
6	1304011269	16A SOCKET Five in one socket 16A,screw type, make: havells/anchor/lisha/cona.	NUMBERS	30
7	1304032177	CHOKES HPMV 125WATT MAKE: BAJAJ.	NUMBERS	25
8	1309062414	28W T5 LAMPS 28 Watts fluorescent tube light to be suitable for 28W T5 fitting Product:FTL 18W Power Lux 6500K Base:G5 Rated Lumens:2760 Watts:28W Rated voltage: 230V, 50Hz Length:1163.2mm Make:BAJAJ/Havells/CGL only	NUMBERS	800
9	1400001975	MCB PROTECTED SOCKET-16 AMPS MCB protected socket and plug with metal gang box (Sheet steel enclosure) for surface mounting Current rating: 16 Amps Make: Siemens/Havells/Anchor	NUMBERS	20
10	1400001983	5 PIN SOCKET & GANG BOX-16A 5 Pin heavy duty socket & switch with metal gang box(sheet steel enclosure) with fuse and phase indicating lamp	NUMBERS	250

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEPS/17-18/390 DATE : 13/12/2017

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Current rating: 16 Amops Make: Siemens/Havells/Anchor		
11	1450021021	MCB BOX 2 WAY PLASTIC MCB BOX 2 WAY MAKE: LISHA/ANCHOR/CONA	NUMBERS	100
12	4622111115	6A SOCKET SWITCH GANG BOX 2 in 1 SS, 6A switch and 6A 5in 1 SOCKET WITH GANG BOX MAKE: CONA/LISHA/ANCHOR/HAVELLS	NUMBERS	50
13	4631321017	6A 3 PIN PLUG TOP 6A 3 PIN PLUG TOP MAKE: HAVELLS/CONA/ELLE/GM	NUMBERS	100
14	4638121072	6A SP SWITCH 6A SINGLE POLE SWITCH MAKE: CONA/GM/HAVELLS	NUMBERS	200
15	5712301114	TIMER FOR HIGHMAST FM/1 Quartz Type: QT daily Voltage: 240 VAC contact rating: 16A/250VAC product code: J648B1 make: General Industrial Control Pvt Ltd	NUMBERS	5

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **23/02/2018 15:00**
- 2 . Opening Date of quotations/tenders/offers : **23/02/2018 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 **VALIDITY** : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- 2 **PRICES**: The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST d) Freight , e) item wise HSN code.
- 3 **TERMS OF PAYMENT** : 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEPS/17-18/390 DATE : 13/12/2017

be noted.

- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 TRANSPORT: Material shall be transported only through reputed transporters on door delivery basis.
- 10 EARNEST MONEY DEPOSIT: If the quoted value is more than Rs. 50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperate sealed cover. Exemption Certificate for EMD/SD issued by NSIC or by any State Govt or Central Govt will be considered.
- 11 AGREEMENT: An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on pre-paid stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 SECURITY DEPOSIT: If the landing cost of the purchase order exceeds Rs.50000.00 (Fifty Thousand), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalized/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 DELIVERY PERIOD: The materials shall be delivered within 30 days from the date of issue of purchase order.
- 14 SUIT OR PROCEEDINGS: Any Legal suit arising out of the contract shall be initiated exclusively in the law court at Bellary, Karnataka State only.
- 15 F O R AND CONSIGNEE: The material shall be delivered through reputed transporters on Door delivery basis to BTPS Stores, KPCL, Kudathini, which is situated on NH-63 approximately 24 Km from Bellary at the following address :
Consignee: The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power



OFFICE OF THE

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO. SE(S&P)BTPS/EL/EEPS/17-18/390 DATE : 13/12/2017

Corporation Ltd., Kudathini -583 152, Bellary - Dist., Karnataka - State,
Mobile no.: 9448290750, Fax No.: 08392 288616

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail eemspbtps@karnatakpower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/17-18/391 DATE : 13/12/2017

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below.

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	5715701024	OIL GUN ADV. LIMIT SWITCH OIL GUN ENGAGE LIMIT SWITCH Spec: Push button type Model:SZL-WL-F, 10A 300V AC, 6A 24V DC Make: Honeywell	NUMBERS	20

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **23/02/2018 15:00**
- 2 . Opening Date of quotations/tenders/offers : **23/02/2018 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Pre Qualification Requirements:

- 1 **Bidder shall be original equipment manufacturer (OEM) OR Original equipment supplier (OES) OR Authorized dealer and shall furnish copy of OEM authorization certificate as a documentary proof.**
- 2 **Bidder should have supplied similar materials to any Industrial / Power utilities as a proof the PO copy shall be submitted along with the offer**
- 3 **The firm shall submit original guarantee certificate from the manufacturer**

Terms and Conditions of Enquiry:

- 1 **VALIDITY :** The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- 2 **PRICES:** The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST d) Freight , e) item wise HSN code.
- 3 **TERMS OF PAYMENT :** 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/17-18/391 DATE : 13/12/2017

- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 TRANSPORT: Material shall be transported only through reputed transporters on door delivery basis.
- 10 EARNEST MONEY DEPOSIT: If the quoted value is more than Rs. 50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a separate sealed cover. Exemption Certificate for EMD/SD issued by NSIC or by any State Govt or Central Govt will be considered.
- 11 AGREEMENT: An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on pre-paid stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 SECURITY DEPOSIT: If the landing cost of the purchase order exceeds Rs.50000.00 (Fifty Thousand), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalized/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 DELIVERY PERIOD: The materials shall be delivered within 30 days from the date of issue of purchase order.
- 14 SUIT OR PROCEEDINGS: Any Legal suit arising out of the contract shall be initiated exclusively in the law court at Bellary, Karnataka State only.
- 15 F O R AND CONSIGNEE: The material shall be delivered through reputed transporters on Door delivery basis to BTPS Stores, KPCL, Kudathini, which is situated on NH-63 approximately 24 Km from Bellary at the following address :
Consignee: The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd.,Kudathini -583 152,Bellary - Dist., Karnataka - State,Mobile no.: 9448290750, Fax No.: 08392 288616



OFFICE OF THE

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO SE(S&P)BTPS/EL/EEIC1/17-18/391 DATE : 13/12/2017

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail eemspbtps@karnatakpower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/17-18/391 DATE : 13/12/2017

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below.

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	5715701024	OIL GUN ADV. LIMIT SWITCH OIL GUN ENGAGE LIMIT SWITCH Spec: Push button type Model:SZL-WL-F, 10A 300V AC, 6A 24V DC Make: Honeywell	NUMBERS	20

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **23/02/2018 15:00**
- 2 . Opening Date of quotations/tenders/offers : **23/02/2018 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 VALIDITY : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- 2 PRICES: The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST d) Freight , e) item wise HSN code.
- 3 TERMS OF PAYMENT : 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO: (S&P)BTPS/EL/EEIC1/17-18/391 DATE : 13/12/2017

- 7** **QUALITY** : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8** **DEALERSHIP CERTIFICATE** : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9** **TRANSPORT**: Material shall be transported only through reputed transporters on door delivery basis.
- 10** **EARNEST MONEY DEPOSIT**: If the quoted value is more than Rs. 50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperate sealed cover. Exemption Certificate for EMD/SD issued by NSIC or by any State Govt or Central Govt will be considered.
- 11** **AGREEMENT**: An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on pre-paid stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12** **SECURITY DEPOSIT**: If the landing cost of the purchase order exceeds Rs.50000.00 (Fifty Thousand), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalized/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13** **DELIVERY PERIOD**: The materials shall be delivered within 30 days from the date of issue of purchase order.
- 14** **SUIT OR PROCEEDINGS**: Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15** **F O R AND CONSIGNEE**: The material shall be delivered through reputed transporters on Door delivery basis to BTPS Stores, KPCL, Kudathini, which is situated on NH-63 approximately 24 Km from Bellary at the following address :
Consignee: The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd.,Kudathini -583 152,Bellary - Dist., Karnataka - State,Mobile no.: 9448290750, Fax No.: 08392 288616

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINTENDING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail eemsbtps@karnatakapower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/17-18/392 DATE : 13/12/2017

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below.

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	5714915012	FLOW INDICATOR FOR AS/H2S SO FLOW INDICATOR FOR AS/H2S SEAL OIL FLOW SPEC: Metal tube with tapered measuring section End to end length= 250mm, DN: 50MM, PN=40KSC Flanged end connection ASME B16.5, class 150 Tube, Float and Flange material- SS316 RANGE 0 TO 110 LPM, Medium: Turbine oil with SG=0.852 Viscosity=29cst, temp=50degc SERVICE: Air side/Hydrogen side seal oil flow indication at seal oil skid. Model: H250/RR/M7 Make: Krohne Marshall Pvt. Ltd, Pune.	NUMBERS	2
2	5714915021	RING RELIEF OIL FLW INDICATOR Flow indicator for ring relief oil flow spec: Metal tube with tapered measuring section End to end length= 250mm, DN: 25MM, PN=40KSC Flanged end connection with outer dia: 115mm 4 holes of dia 14mm equally spaced on PCD 85mm Tube, Float and Flange material- SS316 RANGE 0 TO 16.42 LPM, Medium: Turbine oil with SG=0.852 Viscosity=29cst, temp=50degc SERVICE: Ring relief seal oil flow indication at seal oil skid. Model: 38090 Make: Instrumentation Engineers PVt. LTd., Jeedimetla, Hyderabad.	NUMBERS	4

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **23/02/2018 15:00**
- 2 . Opening Date of quotations/tenders/offers : **23/02/2018 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/17-18/392 DATE : 13/12/2017

- 1 **VALIDITY** : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- 2 **PRICES**: The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST d) Freight , e) item wise HSN code.
- 3 **TERMS OF PAYMENT** : 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 **QUANTITY** : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 **GUARANTEE / WARRANTY** : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 **PENALTY** : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 **QUALITY** : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 **DEALERSHIP CERTIFICATE** : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 **TRANSPORT**: Material shall be transported only through reputed transporters on door delivery basis.
- 10 **EARNEST MONEY DEPOSIT**: If the quoted value is more than Rs. 50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperate sealed cover. Exemption Certificate for EMD/SD issued by NSIC or by any State Govt or Central Govt will be considered.
- 11 **AGREEMENT**: An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on pre-paid stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 **SECURITY DEPOSIT**: If the landing cost of the purchase order exceeds Rs.50000.00 (Fifty Thousand), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalized/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO. (S&P)BTPS/EL/EEIC1/17-18/392 DATE : 13/12/2017

- 13** DELIVERY PERIOD: The materials shall be delivered within 30 days from the date of issue of purchase order.
- 14** SUIT OR PROCEEDINGS: Any Legal suit arising out of the contract shall be initiated exclusively in the law court at Bellary, Karnataka State only.
- 15** F O R AND CONSIGNEE: The material shall be delivered through reputed transporters on Door delivery basis to BTPS Stores, KPCL, Kudathini, which is situated on NH-63 approximately 24 Km from Bellary at the following address : Consignee: The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd.,Kudathini -583 152,
Bellary - Dist., Karnataka - State,Mobile no.: 9448290750, Fax No.: 08392 288616

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail eemspbtps@karnatakpower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO SE(S&P)BTPS/EL/EEIC1/17-18/392 DATE : 13/12/2017

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below.

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	5714915012	FLOW INDICATOR FOR AS/H2S SO FLOW INDICATOR FOR AS/H2S SEAL OIL FLOW SPEC: Metal tube with tapered measuring section End to end length= 250mm, DN: 50MM, PN=40KSC Flanged end connection ASME B16.5, class 150 Tube, Float and Flange material- SS316 RANGE 0 TO 110 LPM, Medium: Turbine oil with SG=0.852 Viscosity=29cst, temp=50degc SERVICE: Air side/Hydrogen side seal oil flow indication at seal oil skid. Model: H250/RR/M7 Make: Krohne Marshall Pvt. Ltd, Pune.	NUMBERS	2
2	5714915021	RING RELIEF OIL FLW INDICATOR Flow indicator for ring relief oil flow spec: Metal tube with tapered measuring section End to end length= 250mm, DN: 25MM, PN=40KSC Flanged end connection with outer dia: 115mm 4 holes of dia 14mm equally spaced on PCD 85mm Tube, Float and Flange material- SS316 RANGE 0 TO 16.42 LPM, Medium: Turbine oil with SG=0.852 Viscosity=29cst, temp=50degc SERVICE: Ring relief seal oil flow indication at seal oil skid. Model: 38090 Make: Instrumentation Engineers PVt. LTd., Jeedimetla, Hyderabad.	NUMBERS	4

Important Dates:

- Last date for receipt of quotations/tenders/offers : **23/02/2018 15:00**
- Opening Date of quotations/tenders/offers : **23/02/2018 15:30**

Important Note:

- Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - Purchase Enquiry Number and Date .
 - Date of opening
- Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
- Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/17-18/392 DATE : 13/12/2017

- 1** **VALIDITY** : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- 2** **PRICES**: The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST d) Freight , e) item wise HSN code.
- 3** **TERMS OF PAYMENT** : 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4** **QUANTITY** : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5** **GUARANTEE / WARRANTY** : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6** **PENALTY** : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7** **QUALITY** : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8** **DEALERSHIP CERTIFICATE** : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9** **TRANSPORT**: Material shall be transported only through reputed transporters on door delivery basis.
- 10** **EARNEST MONEY DEPOSIT**: If the quoted value is more than Rs. 50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a separate sealed cover. Exemption Certificate for EMD/SD issued by NSIC or by any State Govt or Central Govt will be considered.
- 11** **AGREEMENT**: An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on pre-paid stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12** **SECURITY DEPOSIT**: If the landing cost of the purchase order exceeds Rs.50000.00 (Fifty Thousand), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalized/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO. SE(S&P)BTPS/EL/EEIC1/17-18/392 DATE : 13/12/2017

- 13** DELIVERY PERIOD: The materials shall be delivered within 30 days from the date of issue of purchase order.
- 14** SUIT OR PROCEEDINGS: Any Legal suit arising out of the contract shall be initiated exclusively in the law court at Bellary, Karnataka State only.
- 15** F O R AND CONSIGNEE: The material shall be delivered through reputed transporters on Door delivery basis to BTPS Stores, KPCL, Kudathini, which is situated on NH-63 approximately 24 Km from Bellary at the following address : Consignee: The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd.,Kudathini -583 152,
Bellary - Dist., Karnataka - State,Mobile no.: 9448290750, Fax No.: 08392 288616

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail eemspbtps@karnatakapower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/17-18/395 DATE : 13/12/2017

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below.

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	5715504016	I/P CONVERTER WITH VOL BOOSTER Supply pressure : Atleast 0.7 bar above maximum output pressure / 1.5 KSC. Input : 4-20mA dc. Output Pressure range : 0.2 to 1.0 bar. Flow capacity : Upto 300Nl/min (10scfm).(With volume booster) Connections : ¼ inch NPT female standard (plus two integral ¼ inch NPT gauge ports). Mounting : Integral surface mounting bracket to be provided for vertical mounting. Accuracy : Linearity < 1.0%. Response time : < 8 secs. Low power consumption : < 0.25 watts. Operating temperature range : -20 Deg.C to +70 Deg.C. Total error : Max error +/- 0.5% of Span. Temperature effect : Better than 1% span between -10 Deg.C to 60 Deg.C . Ingress Protection : IP65. Vibration immune. Weather proof.	NUMBERS	15

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **23/02/2018 15:00**
- 2 . Opening Date of quotations/tenders/offers : **23/02/2018 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

4	Bidder shall be original equipment manufacturer (OEM) or Original equipment supplier (OES) or Authorized dealer and shall furnish copy of OEM authorization as a documentary proof.
5	Bidder should have supplied similar materials to any Industrial/Power utilities as a proof the PO copy shall be submitted along with the offer .
6	The firm shall submit original guarantee certificate from the manufacturer.

Terms and Conditions of Enquiry:

- 1 VALIDITY : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/17-18/395 DATE : 13/12/2017

- 2 **PRICES:** The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST d) Freight , e) item wise HSN code.
- 3 **TERMS OF PAYMENT :** 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 **QUANTITY :** The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 **GUARANTEE / WARRANTY :** The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 **PENALTY :** For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 **QUALITY :** If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 **DEALERSHIP CERTIFICATE :** Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 **TRANSPORT:** Material shall be transported only through reputed transporters on door delivery basis.
- 10 **EARNEST MONEY DEPOSIT:** If the quoted value is more than Rs. 50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperate sealed cover. Exemption Certificate for EMD/SD issued by NSIC or by any State Govt or Central Govt will be considered.
- 11 **AGREEMENT:** An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on pre-paid stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 **SECURITY DEPOSIT:** If the landing cost of the purchase order exceeds Rs.50000.00 (Fifty Thousand), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalized/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 **DELIVERY PERIOD:** The materials shall be delivered within 30 days from the date of issue of purchase order.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO SE(S&P)BTPS/EL/EEIC1/17-18/395 DATE : 13/12/2017

- 14** SUIT OR PROCEEDINGS: Any Legal suit arising out of the contract shall be initiated exclusively in the law court at Bellary, Karnataka State only.
- 15** F O R AND CONSIGNEE: The material shall be delivered through reputed transporters on Door delivery basis to BTPS Stores, KPCL, Kudathini, which is situated on NH-63 approximately 24 Km from Bellary at the following address :Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd.,
Kudathini -583 152,Bellary - Dist., Karnataka - State,Mobile no.: 9448290750, Fax No.: 08392 288616

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail eemspbtps@karnatakapower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO SE(S&P)BTPS/EL/EEIC1/17-18/395 DATE : 13/12/2017

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below.

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	5715504016	I/P CONVERTER WITH VOL BOOSTER Supply pressure : Atleast 0.7 bar above maximum output pressure / 1.5 KSC. Input : 4-20mA dc. Output Pressure range : 0.2 to 1.0 bar. Flow capacity : Upto 300Nl/min (10scfm).(With volume booster) Connections : ¼ inch NPT female standard (plus two integral ¼ inch NPT gauge ports). Mounting : Integral surface mounting bracket to be provided for vertical mounting. Accuracy : Linearity < 1.0%. Response time : < 8 secs. Low power consumption : < 0.25 watts. Operating temperature range : -20 Deg.C to +70 Deg.C. Total error : Max error +/- 0.5% of Span. Temperature effect : Better than 1% span between -10 Deg.C to 60 Deg.C . Ingress Protection : IP65. Vibration immune. Weather proof.	NUMBERS	15

Important Dates:

- Last date for receipt of quotations/tenders/offers : **23/02/2018 15:00**
- Opening Date of quotations/tenders/offers : **23/02/2018 15:30**

Important Note:

- Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - Purchase Enquiry Number and Date .
 - Date of opening
- Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
- Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- VALIDITY** : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- PRICES**: The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST d) Freight , e) item wise HSN code.
- TERMS OF PAYMENT** : 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO SE(S&P)BTPS/EL/EEIC1/17-18/395 DATE : 13/12/2017

- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 TRANSPORT: Material shall be transported only through reputed transporters on door delivery basis.
- 10 EARNEST MONEY DEPOSIT: If the quoted value is more than Rs. 50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperate sealed cover. Exemption Certificate for EMD/SD issued by NSIC or by any State Govt or Central Govt will be considered.
- 11 AGREEMENT: An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on pre-paid stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 SECURITY DEPOSIT: If the landing cost of the purchase order exceeds Rs.50000.00 (Fifty Thousand), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalized/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 DELIVERY PERIOD: The materials shall be delivered within 30 days from the date of issue of purchase order.
- 14 SUIT OR PROCEEDINGS: Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15 F O R AND CONSIGNEE: The material shall be delivered through reputed transporters on Door delivery basis to BTPS Stores, KPCL, Kudathini, which is situated on NH-63 approximately 24 Km from Bellary at the following address :Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd.,
Kudathini -583 152,Bellary - Dist., Karnataka - State,Mobile no.: 9448290750, Fax No.: 08392 288616

Yours Faithfully



OFFICE OF THE

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO SE(S&P)BTPS/EL/EEIC1/17-18/395 DATE : 13/12/2017

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail eemspbtps@karnatakapower.com



OFFICE OF THE

PURCHASE ENQUIRY**PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/398 DATE : 19/12/2017**

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below.

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	5413401145	BF VALVE DOOR SEAL BHEL MAKE VALVE DRG NO 09513800037/38. PART NO 11 DOOR SEAL FOR BF VALVE 500 NB DRGNO 3- 216-01-12134 VAR 12 MATERIAL ACRYLO NITRILE RUBBER	NUMBERS	6
2	5413401242	DOOR SEAL BHEL MAKE VALVE DRG NO 09513800036/39. PART NO 09 DOOR SEAL DRG NO 2-216-01-12096 FOR BF VALVE 600 NB VAR 03 MATERIAL ACRYLO NITRILE RUBBER	NUMBERS	26
3	5413401331	DOOR SEAL BHEL MAKE VALVE DRG NO 09513800034. PART NO 09 DOOR SEAL FOR BF VALVE 800NB DRG NO 2-216-01-12096 VAR 08 MATERIAL ACRYLO NITRILE RUBBER	NUMBERS	4
4	5413401528	BF VALVE DOOR SEAL BHEL MAKE VALVE DRG NO 09513800032. PART NO 08 DOOR SEAL FOR BF VALVE 1800 NB DRG NO 29513800008 MATERIAL ACRYLO NITRILE RUBBER	NUMBERS	12

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **23/02/2018 15:00**
- 2 . Opening Date of quotations/tenders/offers : **23/02/2018 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 **VALIDITY:** The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation.
- 2 **PRICES:** The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST d) Freight , e) item wise HSN code.
- 3 **TERMS OF PAYMENT :** 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EETM/17-18/398 DATE : 19/12/2017

be noted.

- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 TRANSPORT: Material shall be transported only through reputed transporters on door delivery basis.
- 10 EARNEST MONEY DEPOSIT: If the quoted value is more than Rs. 50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperate sealed cover. Exemption Certificate for EMD/SD issued by NSIC or by any State Govt or Central Govt will be considered.
- 11 AGREEMENT: An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on pre-paid stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 SECURITY DEPOSIT: If the landing cost of the purchase order exceeds Rs.50000.00 (Fifty Thousand), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalized/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 DELIVERY PERIOD: The materials shall be delivered within 30 days from the date of issue of purchase order.
- 14 SUIT OR PROCEEDINGS: Any Legal suit arising out of the contract shall be initiated exclusively in the law court at Bellary, Karnataka State only.
- 15 F O R AND CONSIGNEE: The material shall be delivered through reputed transporters on Door delivery basis to BTPS Stores, KPCL, Kudathini, which is situated on NH-63 approximately 24 Km from Bellary at the following address :
Consignee: The Executive Engineer(Stores)BT,



OFFICE OF THE

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO. SE(S&P)BTPS/EL/EETM/17-18/398 DATE : 19/12/2017

Bellary Thermal Power Station,
Karnataka Power Corporation Ltd.,
Kudathini -583 152,
Bellary - Dist., Karnataka - State,
Mobile no.: 9448290750, Fax No.: 08392 288616.

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail eemspbtps@karnatakpower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/ADPH/17-18/446 DATE : 23/01/2018

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below.

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	1111301031	11KV DISCHARGE RODS 11KV Discharge rods along with necessary clamps, connectors, cables etc., Specifications: Make: BEIMCO Materila: FRP Pultruded Process: Automatic Pultrusion Design: Telescopic Locking: Threaded coupler type Sections: 3 sections Total height: 18 feet length of the cable : 10 mtrs Earthing: Die cast aluminium earthing instrument Grounding clamp: Die cast aluminium grounding C clamps	SETS	2
2	2912071343	WIRE SLING ROPE - 2TON , 2MTR High quality wire sling rope with test certificate. capacity:2ton length: 2mtr make:Slingest,Ferartara,tough ropes,Extra power, usha martin.	NUMBERS	2
3	2916215382	'D SHACKLE 1.5 TON CAP. D SHACKLE SAFE LIFT BRAND ALLOY STEEL D-SHAKLE, DROP FORGED,QUENCHED, TEMPERED AND GALVANISED. SCREWED PIN TYPE	NUMBERS	4
4	3610701204	P P ROPE 20MM Garware make P.P. rope 20 mm dia in length 50m.	KILOGRAMS	10
5	4010501011	RUBBER HAND GLOVES[ELECTRICAL] 12" heavy duty natural latex seamless hand gloves for electrical shock protection. Test potential: 15 KV, Max. working potential: 3.3 KV as per IS 4770	PAIR	4

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **23/02/2018 15:00**
- 2 . Opening Date of quotations/tenders/offers : **23/02/2018 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/ADPH/17-18/446 DATE : 23/01/2018

- 1 **VALIDITY** : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- 2 **PRICES**: The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST d) Freight , e) item wise HSN code.
- 3 **TERMS OF PAYMENT** : 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 **QUANTITY** : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 **GUARANTEE / WARRANTY** : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 **PENALTY** : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 **QUALITY** : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 **DEALERSHIP CERTIFICATE** : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 **TRANSPORT**: Material shall be transported only through reputed transporters on door delivery basis.
- 10 **EARNEST MONEY DEPOSIT**: If the quoted value is more than Rs. 50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperate sealed cover. Exemption Certificate for EMD/SD issued by NSIC or by any State Govt or Central Govt will be considered.
- 11 **AGREEMENT**: An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on pre-paid stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 **SECURITY DEPOSIT**: If the landing cost of the purchase order exceeds Rs.50000.00 (Fifty Thousand), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalized/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO SE(S&P)BTPS/EL/ADPH/17-18/446 DATE : 23/01/2018

- 13** DELIVERY PERIOD: The materials shall be delivered within 30 days from the date of issue of purchase order.
- 14** SUIT OR PROCEEDINGS: Any Legal suit arising out of the contract shall be initiated exclusively in the law court at Bellary, Karnataka State only.
- 15** F O R AND CONSIGNEE: The material shall be delivered through reputed transporters on Door delivery basis to the Executive Engineer (Electrical), Almatti Dam Power House (ADPH), Karnataka Power Corporation Limited, Sitimane - 587207, Post: Rampur, Dist. Bagalkot, Karnataka State

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail eemspbtps@karnatakapower.com