

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO. (P)/EL/EE(GM/17-18/386

DATE : 01/03/2018

Sir,

Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	1415030297	HRC FUSE LINK 2A HRC Fuse Link 2A, 415V AC, Braking Current: 80kA Gg, Type: HG, Size F1 Make: GE Power Controls/L&T/Havells/Busmann	NUMBERS	50
2	1415030491	HRC FUSES LINK 4A HRC Fuse Link 4A, 550V AC, Braking Current: 80 KA Gg, Size F1 Make: Busmann/Siemens/GE Power Controls/L&T/Havells	NUMBERS	20
3	1415030891	HRC FUSE LINK 10A HRC Fuse Link 10A, Braking Current: 80 KA Gg, Voltage: 550V AC, Size F1 Make: GE Power Controls/L&T/Havells/Busmann	NUMBERS	30
4	1415031099	HRC FUSE LINK 16A HRC Fuse Link 16A, 550V AC, Braking Current: 80 KA Gg, Size F1 Make: GE Power Controls/L&T/Havells/Busmann	NUMBERS	30
5	1415060609	HRC FUSE LINKS 6AMPS HRC Fuse Link 6A, Braking Current: 80 KA Gg, Voltage: 415V AC, Size F1 Make: GE Power Controls/L&T/Havells/Busmann	NUMBERS	30
6	1425021121	20A HRC FUSELINK HRC Fuse Link 20A, 415V AC, Braking Current:80kA Gg, Type: HG, Size F1, Make: L&T/GE Power Controls/Havells/Busmann	NUMBERS	20
7	1425100137	GLASS FUSE 1A, 250V AC Glass Fuse 1A, 250V AC Make: Prectron or Equivalent	NUMBERS	100
8	2910204010	HAND CRIMPING TOOL Hand (Manual) Crimping Tool, RANGE: 1.5 sq.mm to 16 sq. mm, MAKE:M-SEAL/TAPARIA/DOWELS/TAC/HAVELL'S OR EQUIVALENT.	NUMBERS	2
9	4506050109	FLAT TYPE 2.5 SQ MM CU LUGS Flat type 2.5 sq mm insulated copper lugs copper pin type terminal ends (insulated) for solder less crimping to copper / aluminum conductors, size 2.50 sq.mm, electro tinned finish MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	200
10	4560301028	COPPER LUG RING TYPE 2.5 SQ MM Ring type 2.5 sq mm insulated Copper lugs, Copper ring type terminal ends (insulated) for solder less crimping to copper / aluminium conductors, size 2.50 sq.mm, Electro tinned finish, Hole size: M4 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	300
11	4560307077	COPPER LUGS 25 SQMM RING TYPE Ring type 25 sq mm Cooper lugs, Copper ring type terminal ends for solder less crimping to copper / aluminium conductors, size 25 sq.mm, Electro tinned finish, Hole size M10 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	25
12	4560308197	630 SQ MM COPPER LUGS 630 Sq mm crimping copper flat type lugs	NUMBERS	20

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO. (P)/EL/EE(GM/17-18/386)

DATE : 01/03/2018

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
13	4560313018	CU.CRMPNG LUGS,SIZE.1.50,M6 Copper ring type tongue terminal ends (insulated) for solder less crimping to copper / aluminium conductor, Size -0.5 to 1.5 sq mm, Copper IS- 1897, Electro tinned finish, Cat. No.RS-7067, Size 0.5 to 1.50 sq.mm, Hole size-M6. MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	300
14	4560313026	CU CRMPING LUGS PIN 1.5 SQMM Pin/flat type 1.5 sq mm insulated Copper Lugs, Copper pin/flat type terminal ends (insulated) for solder less crimping to copper / aluminium conductors, size 1.50 sq.mm, Electro tinned finish MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	200
15	4560313034	CU CRMPING LUGS PIN 0.5 SQMM Pin type 0.5 sq mm insulated copper lugs, Copper pin type terminal ends (insulated) for solder less crimping to copper / aluminium, conductors, size 0.50 sq.mm, Electro tinned finish MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	200
16	4560313042	CU CRMPING LUGS FORK 2.5 SQMM Fork type 2.5 sq. mm insulated Copper lugs, Copper fork type terminal ends (insulated) for solder less crimping to copper / aluminium conductors, size 2.50 sq.mm, Electro tinned finish, Stud size M6 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	200
17	4560313051	CU.CRMP,10SQMM,M6,RING,LUGS Ring type 10 sq. mm insulated copper lugs, copper ring type terminal ends (insulated) for solderless crimping to copper / aluminium conductors, size 10 sq.mm, electro tinned finish, hole size M6, Dowell's Cat. No.:7393 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	100
18	4560314049	CU.CRMP.LUGS,SIZ.6SQMM,M8,RING Ring type 6 sq. mm insulated copper lugs copper ring type terminal ends (insulated) for solder less crimping to copper / aluminium conductors, size 6 sq.mm, electro tinned, finish, hole size M8 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	100
19	4560315029	CU.CRMPNG LUGS,RING TYP,2.5SQ Ring type 2.5 sq. mm insulated copper lugs, Copper ring type terminal ends (insulated) for solderless crimping to copper / aluminium conductors, size 2.50 sq.mm, Electro tinned finish, Hole Size M6 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	200
20	4560315045	CU.CRMP LUGS,SIZ.6SQMM,M5,RING Ring type 6 sq. mm insulated copper lugs, Copper ring type terminal ends (insulated) for solderless crimping to copper / aluminium conductors, size 6 sq.mm, Electro tinned finish, Hole size M5 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	100
21	4560316033	CU.CRMP LUGS,4SQMM,M12,RING Ring type 4 sq mm insulated copper lugs, Copper ring type terminal ends (insulated) for solderless crimping to copper / aluminium, size 4 sq.mm., Electro tinned finish, Hole size M12 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	200

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:EE(P)/EL/EE(GM/17-18/386 DATE : 01/03/2018

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
22	4560316122	CU.CRMP120SQMM,M12,RING LUGS ITEM NAME:Copper crimping Lugs, Type:RING TERMINAL(DOWELL'S & EQIVLNT), CAT No.RS-7146,Size 120 Sq.mm, hole size-M12. Specification:Copper cable terminals, RING TERMINAL TYPE, manufactured from oxygen free high conductivity(OFHC) copper containing less than 30 p.p.m oxygen in the metal and is completely free from copper oxide particles. Special type pin plating to be done to protect from corrosion, oxidation etc and to make trouble free during or after usage	NUMBERS	50
23	4560322050	CU.CRMP,10SQMM,M10,RING LUGS Ring type 10 sq mm insulated copper lugs, Copper ring type terminal ends (insulated) for solderless crimping to copper / aluminium conductors, size 10 sq.mm, Electro tinned finish, Hole size M10, Dowell's Cat. No.:7396 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	50
24	4560603016	CABLE LUGS 1.5 SQMM U TYPE Copper U type tongue terminal ends (insulated) for solder less crimping to copper / aluminium conductor, Size -0.5 to 1.5 sq mm, Copper IS- 1897, Electro tinned finish, Catalogue No.RS-7926, Hole size-M6 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	200
25	4560801039	4 SQ MM COPPER LUGS RING TYPE Ring type 4 sq. mm insulated Copper lugs, Copper ring type terminal ends (insulated) for solder less crimping to copper / aluminium, Conductors, size 4 sq.mm, Electro tinned finish, Hole size M6 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	200

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **27/03/2018 17:30**
- 2 . Opening Date of quotations/tenders/offers : **28/03/2018 16:00**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 VALIDITY : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- 2 PRICES : The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) Applicable IGST/SGST/CGST d) HSN Code , f) Freight , g) Any other charges.
- 3 TERMS OF PAYMENT : 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the

PURCHASE ENQUIRY**PURCHASE ENQUIRY NO EE(P)/EL/EE(GM/17-18/386****DATE : 01/03/2018**

- date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6** PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7** QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8** DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable.
- 9** TRANSPORT : Material Shall be transported only through reputed transporters who have godown at Raichur/Yeramarus Like Associated Road Carriers, TCI, SER, VRL etc.
- 10** EARNEST MONEY DEPOSIT : If the quoted value(inclusive of all taxes and duties) is more than Rs.50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of General Manager (Finance), YTPS,Raichur Power Corporation Limited, Yeramarus - 584 134, from any nationalised / Scheduled Bank (payable at SBI/ Syndicate Shakthinagara) with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt wi.ll not be considered and such offers are liable for rejection
- 11** AGREEMENT : An agreement shall be executed by the supplier (as per RPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 200.00(Purchased in Karnataka Only) before effecting supply. However in case any supplies are made the payment will be released only after entering into agreement. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12** SECURITY DEPOSIT : If the landing cost of the Purchase order exceeds Rs. 50000.00(Fifty Thousand), then 10 % of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13** JURISDICTION: Law courts of Raichur.

Yours Faithfully

For RAICHUR POWER CORPORATION LIMITED

EXECUTIVE ENGINEER(PURCHASE)
YERMARUS THERMAL POWER STATION, RPCL
YERMARUS, PIN-584134
Phone 9480682557 Fax 8532286003
Mail eeprcl@gmail.com