

**PURCHASE ENQUIRY**

**PURCHASE ENQUIRY NO:SE(S&P)/EL/EE(OD/18-19/80**

**DATE : 25/06/2018**

Sir,  
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	1402040013	<b>160A DIN TYPE HRC FUSE SIZE 00</b> NAME :160A DIN Type Fuse Links, Type :HN, CAT NO :SF94939, SIZE: 00, VOLTAGE: 415V, breaking capacity: 100kA, Suitable for :FN 160 / FNX 160 S-D-F & for HB 160 Fuse base, MAKE :L&T,BUSSAMAN,SIEMENS	NUMBERS	4
2	1415030491	<b>HRC FUSES LINK 4A</b> HRC Fuse Link 4A, 550V AC, Braking Current: 80 KA Gg, Size F1 Make: Busmann/Siemens/GE Power Controls/L&T/Havells	NUMBERS	100
3	4506050109	<b>FLAT TYPE 2.5 SQ MM CU LUGS</b> FLAT TYPE 2.5 SQ MM INSULATED CU LUGS COPPER PIN TYPE TERMINAL ENDS (INSULATED) FOR SOLDERLESS CRIMPING TO COPPER / ALUMINIUM CONDUCTORS, Size 2.50 Sq.mm, ELECTROTINNED FINISH MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	300
4	4560301028	<b>COPPER LUG RING TYPE 2.5 SQ MM</b> RING TYPE 2.5 SQ MM INSULATED CU LUGS COPPER RING TYPE TERMINAL ENDS (INSULATED) FOR SOLDERLESS CRIMPING TO COPPER / ALUMINIUM CONDUCTORS, Size 2.50 Sq.mm, ELECTROTINNED FINISH, HOLE SIZE: M4 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	300
5	4560313042	<b>CU CRMPING LUGS FORK 2.5 SQMM</b> FORK TYPE 2.5 SQ MM INSULATED CU LUGS COPPER FORK TYPE TERMINAL ENDS (INSULATED) FOR SOLDERLESS CRIMPING TO COPPER / ALUMINIUM CONDUCTORS, Size 2.50 Sq.mm, ELECTROTINNED FINISH, STUD SIZE M6 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	300
6	4560801039	<b>4 SQ MM COPPER LUGS RING TYPE</b> RING TYPE 4 SQ MM INSULATED CU LUGS COPPER RING TYPE TERMINAL ENDS (INSULATED) FOR SOLDERLESS CRIMPING TO COPPER / ALUMINIUM CONDUCTORS, Size 4 Sq.mm, ELECTROTINNED FINISH, HOLE SIZE M6 MAKE: DOWELL'S, AICO, BRACO, WEIDMILLER, KLAUKE, KAYCEE	NUMBERS	300
7	6610305031	<b>DC CONTROL RELAY-CA3KN22MD</b> DC CONTROL RELAY -CA3KN22MD, TESYS K CONTROL RELAY, MODEL :CA3KN22MD, POLE CONTACT COMPOSITION:2NO +2NC, RATED OPERATIONAL VOLTAGE:<=690V<=400HZ, CONTROL CIRCUIT VOLTAGE:220V DC, TIGHTENING TORQUE:1.2 N.m MAKE: SCHNEIDER ELECTRIC OR Equivalent	NUMBERS	10
8	6610305049	<b>CONTACTOR 220V DC</b> TESYS D CONTACTOR(220V DC CONTACTOR). SPECIFICATION: 1.MODEL :LC1D09MD, 2.STANDARDS:CSA C22.2 NO 14,EN 60947-4-1,IEC 60947-4-1,UL 508, 3.POLE CONTACT COMPOSITION:3NO, 4.RATED OPERATIONAL VOLTAGE:<=690V<=400HZ FOR POWER CIRCUIT,<=300V DC FOR POWER CIRCUIT, 5.CONTROL CIRCUIT VOLTAGE:220V DC, 6.AUXILIARY CONTACT COMPOSITION :1NO+1NC, 7.TIGHTENING TORQUE:1.2 N.m., 8.CONTACTOR APPLICATION: MOTOR	NUMBERS	10

**PURCHASE ENQUIRY**

**PURCHASE ENQUIRY NO (S&P)/EL/EE(OD/18-19/80**

**DATE : 25/06/2018**

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		CONTROL RESISTIVE LOAD., 9.POLES DESCRIPTION:3P. 10.MAKE: SCHNEIDER ELECTRIC OR Equivalent		
9	6610305073	<b>OPEN/CLOSE LIMIT SWITCH</b> PRECISION LIMIT SWITCH WITH ROLLER LEVER(LEFT HAND MOUNTING) WITH 2NO+2NC CONTACTS. MODEL:JO2 RLL., THERMAL CURRENT:10A, INSULATION VOLTAGE:600V AC, UTILIZATION CATEGORY:AC 15 AND DC 13 ASPER IEC-947-5-1,IS 13947 Pt-5/SEC-1 1993. MAKE:JAI BALAJI	NUMBERS	10
10	6610305227	<b>ISOLATOR CONTROL SWITCH</b> ISOLATOR CONTROL SWITCH CURRENT RATING:25A, CURRENT AMPS CONTINUOUS:20A. VOLTAGE OPERATIONAL AC/DC:660V. POSITION:3 POSITION,4WAYS SPRING RETURN TO NEUTRAL WITH EE TYPE HANDLE(NON LOCKABLE HANDLE). CONTACTS:2CLOSE, 2OPEN, 1N. ANGULAR MOVEMENT-45 DEGREE. LABEL:OPEN-NEUTRAL-CLOSE. MAKE:KYCEE MAKE,RECOM MAKE.	NUMBERS	10
11	6610305235	<b>LIMIT SWITCH(RIGHT HAND MOUNT)</b> PRECISION LIMIT SWITCH WITH ROLLER LEVER(RIGHT HAND MOUNTING) WITH 2NO+2NC CONTACTS. MODEL:JO2 RLR., THERMAL CURRENT:10A., INSULATION VOLTAGE:600V AC, UTILIZATION CATEGORY:AC 15 AND DC 13 ASPER IEC-947-5-1,IS 13947 Pt-5/SEC-1 1993. MAKE:JAIBALAJI	NUMBERS	10
12	6611302019	<b>2A,HRC FUSE</b> HRC FUSE 2A RATING:2A, RATED VOLTAGE:415V AC., BREAKING CURRENT: 80kA Gg, Type: HG, Size F1, Make: GE Power Controls/L&T/Havells/Bussmann	NUMBERS	100
13	6611302027	<b>6AMPS,HRC FUSE</b> HRC FUSE 6A RATING:6A, RATED VOLTAGE: 415V AC, BREAKING CURRENT: 80kA Gg, Type: HG, Size F1, Make: GE Power Controls/L&T/Havells/Bussmann	NUMBERS	100
14	6611302035	<b>10A,HRC FUSE</b> HRC FUSE 10A RATING:10A, RATED VOLTAGE: 415V AC, BREAKING CURRENT: 80kA Gg, Type: HG, Size F1, Make: GE Power Controls/L&T/Havells/Bussmann	NUMBERS	100
15	6611302043	<b>16AMPS,HRC FUSE</b> HRC FUSE 16A RATING:16A, RATED VOLTAGE: 415V AC, BREAKING CURRENT: 80kA Gg, Type: HG, Size F1, Make: GE Power Controls/L&T/Havells/Bussmann	NUMBERS	100
16	6611302051	<b>32AMPS,HRC FUSE</b> HRC Fuse Link 32A, Braking Current: 80 KA Gg, Voltage: 500V AC, SIZE:Size 00. Make: GE Power Controls/L&T/Havells/Bussmann/ c&s electric	NUMBERS	12
17	6611302060	<b>315A HRC FUSE LINK</b> HRC Fuse Link 315A, TYPE:DIN TYPE(BLADE TYPE), Braking Current: 80 KA Gg, Voltage: 500V AC, SIZE: SIZE 2, Make: GE Power Controls/L&T/Havells/Bussmann/C&S ELECTRICS.	NUMBERS	12

**PURCHASE ENQUIRY**

**PURCHASE ENQUIRY NO (S&P)/EL/EE(OD/18-19/80**

**DATE : 25/06/2018**

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
18	6611302078	<b>250A HRC FUSE LINK</b> HRC Fuse Link 250A, TYPE:DIN TYPE(BLADE TYPE), Braking Current: 80 KA Gg, Voltage: 500V AC, SIZE:SIZE 1, Make: GE Power Controls/L&T/Havells/Busmann/C&S ELECTRIC.	NUMBERS	12
19	6611304011	<b>LED LAMP ,AMBER(63.5V AC)</b> LED TYPE INDICATING LAMP, AMBER COLOUR, SUITABLE FOR 22.5mm dia, RATED VOLTAGE: 63.5V AC, RATED CURRENT:15 TO 20mA., MAKE:JVS ELECTRONICS	NUMBERS	15
20	6611304020	<b>LED LAMP-RED(220V DC)</b> LED TYPE INDICATING LAMP, RED COLOUR, SUITABLE FOR 22.5mm dia., RATED VOLTAGE: 220V DC., RATED CURRENT:15 TO 20mA, MAKE:JVS ELECTRONICS	NUMBERS	24
21	6611304038	<b>LED LAMP-GREEN(220V DC)</b> LED TYPE INDICATING LAMP, GREEN COLOUR, SUITABLE FOR 22.5mm dia., RATED VOLTAGE: 220V DC, RATED CURRENT:15 TO 20mA, MAKE:JVS ELECTRONICS	NUMBERS	24
22	6611304054	<b>LED LAMP-AMBER(240V AC)</b> LED TYPE INDICATING LAMP, AMBER COLOUR, SUITABLE FOR 22.5mm dia., RATED VOLTAGE: 240V AC., RATED CURRENT:15 TO 20mA, MAKE:JVS ELECTRONICS	NUMBERS	24
23	6611305018	<b>SEMAPHORE VAM12/EQ.220V DC</b> SEMAPHORE VAM 12, TYPE:JAV 042, RATED VOLTAGE:220V DC-9K,10W, OPERATING VOLTAGE RANGE:80% TO 120% OF RATED VOLTAGE, BURDEN:1.5W AT 24/30V DC, INSULATION:2KV RMS ,50HZ FOR 1 MINUTE OR 2.5 KV RMS, 50 HZ FOR 1 SEC BETWEEN ALL TERMINAL CASE, PANEL CUTOUT DIMENSION:41mm dia., MAKE:JVS ELECTRONICS/ ALSTOM LIMITED.	NUMBERS	10
24	6611602012	<b>AUX. CONTACT BLOCK TA1-DN22</b> AUX. CONTACTOR BLOCK(FRONT MOUNTED), No. OF CONTACTS: 2NO+2NC, COIL SUPPLY: 220 VDC, MODEL: TA1-DN22-MD, STANDARD:IEC 60947,EN 60947. SNAP ON MOUNTING TO THE FRONT OF :TCA3DN22/TC1D/TCA2DN/LC1F, CONTACT CURRENT RATING:10A, CONTACT VOLTAGE RATING:690V, MAKE: C&S OR Equivalent	NUMBERS	4
25	6611613006	<b>CB CONTROL SWITCH</b> BREAKER CONTROL SWITCH SPECIFICATION: 1.CURRENT RATING:25A. 2.CURRENT AMPS CONTINUOUS:20A. 3.VOLTAGE OPERATIONAL AC/DC:660V. 4.POSITION:3 POSTION,4WAYS SPRING RETURN WITH LOST MOTION DEVICE PLUS SEQUENCELOCKING WITH LONG PISTOL GRIP TYPE HANDLE. 5.CONTACTS: 8 PACKETS (8 TRIP & 8 CLOSE CONTACTS),2 LMC PACKETS(2 AT & 2 AC CONTACTS). 6.ANGULER MOVEMENT-45 DEGREE. 7.LABLE:TRIP-NEUTRAL-CLOSE. 8.MAKE:KYCEE MAKE,RECOM MAKE.	NUMBERS	12
26	6611613014	<b>CONTROL SWITCH FOR 415V CB</b> BREAKER CONTROL SWITCH, RATED CURRENT:25A. RATED VOLTAGE:690V. MODEL:S25-72009-B03-PGYR. STANDARD:IEC60947-3. POSITION:3 POSITION WITH SPRING RETURN TO	NUMBERS	4

**PURCHASE ENQUIRY**

**PURCHASE ENQUIRY NO: SE(S&P)/EL/EE(OD/18-19/80) DATE : 25/06/2018**

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		NEUTRAL AND PISTOL GRIP HANDLE. LABEL:TRIP-NEUTRAL-CLOSE. MAKE:SALZER /L&T/ Equivalent		
27	6611618008	<b>INDICATION LAMP RED(63.5V AC)</b> INDICATION LAMP RED, DIMENSION:22.5 DIA., SUPPLY VOLAGE:63.5V AC MAKE: L&T(ESBEE)/C&S ELECTRIC ETC.	NUMBERS	10
28	6611619004	<b>INDICATION LAMP YELLOW(63.5VAC)</b> INDICATION LAMP YELLOW, DIMENSION:22.5 DIA., SUPPLY VOLTAGE:63.5V AC MAKE: L&T(ESBEE)/C&S ELECTRIC/ equivalent	NUMBERS	10
29	6611620002	<b>INDICATION LAMP BLUE(63.5V AC)</b> INDICATION LAMP BLUE, DIMENSION:22.5 DIA., SUPPLY VOLATGE:63.5V AC MAKE: L&T(ESBEE)	NUMBERS	10
30	6700040001	<b>AUX. CONTACTOR TCA3-DN22</b> AUX. CONTACTOR No. OF CONTACTS: 2NO+2NC, COIL SUPPLY: 220 VDC MODEL: TCA3-DN22-MD, MAKE: C&S OR Equivalent	NUMBERS	4

**Important Dates:**

- 1 . Last date for receipt of quotations/tenders/offers : **24/07/2018 17:30**
- 2 . Opening Date of quotations/tenders/offers : **25/07/2018 16:00**

**Important Note:**

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
  - a) Purchase Enquiry Number and Date .
  - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid GSTIN along with Quotations/Offers.(With Valid HSN/SAC Codes)
3. Offers without valid GSTIN & HSN Codes will not be considered for evaluation.
4. Bidders/Agencies shall mention their deviation from Terms & Conditions of enquiry along with quotation/offer, if not, it will be treated as accepted in entirety.

**Terms and Conditions of Enquiry:**

- 1 **VALIDITY** : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- 2 **PRICES** : The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) Applicable IGST/SGST/CGST d) HSN Code , f) Freight , g) Any other charges.
- 3 **TERMS OF PAYMENT** : 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 **QUANTITY** : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 **GUARANTEE / WARRANTY** : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing

**PURCHASE ENQUIRY**

**PURCHASE ENQUIRY NO SE(S&P)/EL/EE(OD/18-19/80**

**DATE : 25/06/2018**

- defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
  - 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
  - 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable.
  - 9 TRANSPORT : Material Shall be insured & transported only through reputed transporters who have godown at Raichur/Yeramarus Like Associated Road Carriers, TCI, SER etc.
  - 10 EARNEST MONEY DEPOSIT : If the quoted value(inclusive of all taxes and duties) is more than Rs.50000.00(Fifty Thousand Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of General Manager (Finance), YTPS,Raichur Power Corporation Limited, Yeramarus - 584 134, from any nationalised / Scheduled Bank (payable at SBI/ Syndicate Shakthinagara) with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt wi.ll not be considered and such offers are liable for rejection
  - 11 AGREEMENT : An agreement shall be executed by the supplier ( as per RPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 200.00 .(Purchased in Karnataka Only) before effecting supply. However in case any supplies are made the payment will be released only after entering into agreement. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
  - 12 SECURITY DEPOSIT : If the landing cost of the Purchase order exceeds Rs. 50000.00(Fifty Thousand), then 10 % of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
  - 13 JURISDICTION: Law courts of Raichur.

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINTENDING ENGINEER(STORES &  
PURCHASE)  
YERMARUS THERMAL POWER STATION, RPCL  
YERMARUS, PIN-584134  
Phone 9480830561 Fax 8532286003  
Mail