



OFFICE OF THE

PURCHASE ENQUIRY**PURCHASE ENQUIRY NO (S&P)/EL/EE/HT/18-19/224****DATE : 12/12/2018**

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

| Sl No | Item Code | Item Name/Specification | Unit | Required Quantity |
|-------|------------|---|---------|-------------------|
| 1 | 6901010003 | VOLTMETER 0-15KV 96SQMM ANALOG AC VOLTMETER TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING VOLTAGE:0-150V, PTR: 11KV/110V, SCALE: 0-15KV, MOUNTING: FLUSH PANEL MOUNTED, MODEL: SQ96 MAKE: AE OR SIMILAR | NUMBERS | 5 |
| 2 | 6901010011 | VOLTMETER 0-4KV 96SQMM ANALOG AC VOLTMETER TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING VOLTAGE:0-133.5V, PTR: 3.3KV/110V, SCALE: 0-4KV, MOUNTING: FLUSH PANEL MOUNTED, MODEL: SQ96 MAKE: AE OR SIMILAR | NUMBERS | 2 |
| 3 | 6902010007 | AMMETER CTR:3750A/1A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 3750/1A, SCALE: 0-3750A, MOUNTING: FLUSH MOUNTED, MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 1 |
| 4 | 6902010015 | AMMETER CTR:3150A/1A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 3150/1A, SCALE: 0-3150A, MOUNTING: FLUSH MOUNTED, MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 2 |
| 5 | 6902010023 | AMMETER CTR:2500A/1A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 2500/1A, SCALE: 0-2500A, MOUNTING: FLUSH MOUNTED, MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 1 |
| 6 | 6902010040 | AMMETER CTR:1000A/1A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 1000/1A, SCALE: 0-1000A, MOUNTING: FLUSH MOUNTED, MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 1 |

Important Dates:

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)/EL/EE/HT/18-19/224

DATE : 12/12/2018

| Sl No | Item Code | Item Name/Specification | Unit | Required Quantity |
|-------|------------|---|---------|-------------------|
| 7 | 6902010074 | AMMETER CTR:150A/1A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 150/1A, SCALE: 0-150A, MOUNTING: FLUSH MOUNTED, MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 5 |
| 8 | 6902010082 | AMMETER CTR:100A/1A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 100/1A, SCALE: 0-100A, MOUNTING: FLUSH MOUNTED, MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 3 |
| 9 | 6902010091 | AMMETER CTR:75A/1A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 75/1A, SCALE: 0-75A, MOUNTING: FLUSH MOUNTED, MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 3 |
| 10 | 6902010121 | AMMETER 0-400/2400A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 400/1A, SCALE: 0-400-2400A SUPPRESSED SCALE,MOUNTING: FLUSH MOUNTED,MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 2 |
| 11 | 6902010139 | AMMETER 0-300/1800A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 300/1A, SCALE: 0-300-1800A SUPPRESSED SCALE,MOUNTING: FLUSH MOUNTED,MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 1 |
| 12 | 6902010147 | AMMETER 0-200/1200A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 200/1A, SCALE: 0-200-1200A SUPPRESSED SCALE,MOUNTING: FLUSH MOUNTED,MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 3 |
| 13 | 6902010155 | AMMETER 0-150/900A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 150/1A, SCALE: 0-150-900A SUPPRESSED | NUMBERS | 1 |

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO SE(S&P)/EL/EE/HT/18-19/224

DATE : 12/12/2018

| Sl No | Item Code | Item Name/Specification | Unit | Required Quantity |
|-------|------------|--|---------|-------------------|
| | | SCALE,MOUNTING: FLUSH MOUNTED,MODEL: SQ96, MAKE: AE OR SIMILAR | | |
| 14 | 6902010163 | AMMETER 0-100/600A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 100/1A, SCALE: 0-100-600A SUPPRESSED SCALE,MOUNTING: FLUSH MOUNTED,MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 1 |
| 15 | 6902010171 | AMMETER 0-75/450A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 75/1A, SCALE: 0-75-450A SUPPRESSED SCALE,MOUNTING: FLUSH MOUNTED,MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 5 |
| 16 | 6902010180 | AMMETER 0-50/300A 96SQMM ANALOG AC AMMETER 240° TYPE: MOVING COIL WITH BUILT-IN RECTIFIER, SUSPENSION: PLATINUM TAUT BAND, SIZE: 96X96 MM, ACCURACY CLASS: 1.0, OPERATING CURRENT:1A, CTR: 50/1A, SCALE: 0-50-300A SUPPRESSED SCALE, MOUNTING: FLUSH MOUNTED, MODEL: SQ96, MAKE: AE OR SIMILAR | NUMBERS | 5 |

Important Note:

- 1 . Last date for receipt of quotations/tenders/offers : **15/01/2019 17:30**
- 2 . Opening Date of quotations/tenders/offers : **16/01/2019 16:00**

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid GSTIN along with Quotations/Offers.(With Valid HSN/SAC Codes)
3. Offers without valid GSTIN & HSN Codes will not be considered for evaluation.
4. Bidders/Agencies shall mention their deviation from Terms & Conditions of enquiry along with quotation/offer, if not, it will be treated as accepted in entirety.

Terms and Conditions of Enquiry:

- 1 **VALIDITY** : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- 2 **PRICES** : The price shall be quoted per Unit exclusive of Taxes and duties. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) Applicable IGST/SGST/CGST d) HSN Code , f) Freight , g) Any other charges.
- 3 **TERMS OF PAYMENT** : 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site. If any other mode of payment is insisted/mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO SE(S&P)/EL/EE/HT/18-19/224

DATE : 12/12/2018

- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable.
- 9 TRANSPORT : Material Shall be insured & transported only through reputed transporters who have godown at Raichur/Yeramarus Like Associated Road Carriers, TCI, SER etc.
- 10 EARNEST MONEY DEPOSIT : If the quoted value(inclusive of all taxes and duties) is more than Rs.1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of General Manager (Finance), YTPS,Raichur Power Corporation Limited, Yeramarus - 584 134, from any nationalised / Scheduled Bank (payable at SBI/ Syndicate Shakthinagara) with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will not be considered and such offers are liable for rejection.
- 11 AGREEMENT : An agreement shall be executed by the supplier (as per RPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 200.00 .(Purchased in Karnataka Only) before effecting supply. However in case any supplies are made the payment will be released only after entering into agreement. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 SECURITY DEPOSIT : If the landing cost of the Purchase order exceeds Rs.1,00,000.00(One Lakh Only), then 10 % of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 JURISDICTION: Law courts of Raichur.

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINTENDING ENGINEER(STORES &
PURCHASE)
YERMARUS THERMAL POWER STATION, RPCL
YERMARUS, PIN-584134
Phone 9480830561 Fax 8532286003
Mail