



KST No 70100202 Dated 03/09/1984
CST No 70150205 Dated 03/09/1984
TIN No 29440405909 Dated 13/09/2005
CIN-U85110KA1970SGC001919

PURCHASE ENQUIRY

OFFICE OF THE
SUPERINTENDING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION,
KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakapower.com

Sealed itemwise quotations/offers against below mentioned enquiries are invited from manufactures/authorised dealers/reputed suppliers. The details of these enquiries are also available on website www.karnatakapower.com

Sl No	Enquiry No Date	Subject	Last Date Of Receipt /Opening of Tender
1	SE(S&P)BTPS/EL/CAM2/18-19/383 17/01/2019	Procurement of Mechanalysis Vibration Meter	19/02/2019 15:00 19/02/2019 15:30
2	SE(S&P)BTPS/EL/EOLA/18-19/384 17/01/2019	Procurement of Consumables	19/02/2019 15:00 19/02/2019 15:30
3	SE(S&P)BTPS/EL/EOLA/18-19/385 17/01/2019	Procurement of LT Switch gear & motor spares	19/02/2019 15:00 19/02/2019 15:30
4	SE(S&P)BTPS/EL/EOLA/18-19/386 17/01/2019	Procurement of Multimeter, Thermometer etc.,	19/02/2019 15:00 19/02/2019 15:30
5	SE(S&P)BTPS/EL/EOLA/18-19/389 18/01/2019	Procurement of MCCB & MPCB	19/02/2019 15:00 19/02/2019 15:30
6	SE(S&P)BTPS/EL/CAM1/18-19/391 18/01/2019	Procurement of Bearings & Sleeve	19/02/2019 15:00 19/02/2019 15:30
7	SE(S&P)BTPS/EL/CAM1/18-19/393 18/01/2019	Procurement of V-Pulleys	19/02/2019 15:00 19/02/2019 15:30
8	SE(S&P)BTPS/EL/CAM2/18-19/394 18/01/2019	Procurement of Polyester sling & Wire Ropes	19/02/2019 15:00 19/02/2019 15:30
9	SE(S&P)BTPS/EL/EEIC1/18-19/395 18/01/2019	Procurement of Fittings	19/02/2019 15:00 19/02/2019 15:30
10	SE(S&P)BTPS/EL/EEIC1/18-19/396 18/01/2019	Procurement of Pressure Gauges	19/02/2019 15:00 19/02/2019 15:30
11	SE(S&P)BTPS/EL/EEMM/18-19/397 18/01/2019	Procurement of Swing Check valve, NRV & Ball valve	19/02/2019 15:00 19/02/2019 15:30
12	SE(S&P)BTPS/EL/EEBM/18-19/398 18/01/2019	Procurement of Welding cable, Hose pipe & Lugs	19/02/2019 15:00 19/02/2019 15:30



OFFICE OF THE

PURCHASE ENQUIRY

The offers may be submitted well within due date of receipt. Any further details can be had from above office by written requisition.

SUPERINDENTING ENGINEER(S&P)BT

PURCHASE ENQUIRY NO SE(S&P)BTPS/EL/CAM2/18-19/383 DATE : 17/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	3231208100	<p>MECHANALYSIS VIBRATION METER</p> <p>MIL811D Digital Vibration Meter (Accelerometer) Model Number MIL811D The Mechanalysis MIL811D portable digital vibration meter is suitable for most industrial applications with an easy to read digital display. Hand held it measures machinery vibration in terms of displacement (microns), velocity (mm/sec), acceleration (g) Spike Energy TM (gSETM). Its integrated circuit technology provides wide dynamic range and long battery life. From precision bearing inspection to plant-wide maintenance, the MIL811D has the sensitivity for measuring fractions of a micrometer to 2000 micrometers. Also, the widely acclaimed IRD Spike energy circuit is included. The broadband measurement of Spike Energy (units of gSETM) enables detection and measuring of bursts of spike energy at ultrasonic frequencies. Machinery defects developing such as micro spalls, cracks and lack of lubrication can be quickly identified thus preventing unscheduled plant outage.</p> <p>Standard Accessories Qty Part Number Accelerometer Multi-purpose, model MIL511 - 100 mV/g, 2.0 Hz - 10 kHz, Top connector 1 M51100 Cable Assembly for model MIL811D to MIL511 Accelerometer sensor - 1.2m (4ft), rubber insulated, Shielded 2 M60022 Straight Prod (Stinger) 1 M11030 Carrying Case 1 M25346 Battery Set, 2 Nos. of 9V, 100mAH Dry Cells 1 M30642 Manual Operating 1 M43082 Optional Accessories Part Number Magnetic Holder for MIL accelerometers M24746 Shaft Stick for MIL sensors M24750 Manual Training - Mechanalysis Vibration Technology 1 M51001</p> <p>SPECIFICATIONS</p> <p>Measurement Ranges Displacement: - 20 microns, 200 microns, 2,000 microns pk-pk Velocity: - 20 mm/sec, 200 mm/sec, 2,000 mm/sec pk Acceleration: - 20 g, 200 g, 2000 g pk Spike EnergyTM - 20 gSETM, 200 gSETM, 2000 gSETM RMS - Available on request Frequency Range Displacement: - 300 CPM to 24,000 CPM (5 Hz to 400 Hz) Velocity: - 300 CPM to 150,000 CPM (5 Hz to 2,500 Hz)</p>	NUMBERS	1

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/CAM2/18-19/383 DATE : 17/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Acceleration: - 300 CPM to 600,000 CPM (5 Hz to 10,000 Hz) Accuracy Instrument: - 1% of Full Scale Reading (FSR) Input / Output Input: - Accelerometer Output: - LC Digital Display (3½ Digit) Power Requirements Internal Batteries: - Battery Set, 2 Nos. of 9V, 100mAH Dry Cells Environmental Operating temp: - 0°C to +55°C Storage temp: - -18°C to +60°C Weight & Dimensions Instrument only: - 0.4Kg, 175mm (L) x 80mm (W) x 54mm (H) Carrying Case: - 2.0 Kg (inc. meter and standard accessories) TM Spike Energy and gSE are registered trademark of IRD Mechanalysis Inc.		

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 VALIDITY: The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 TERMS OF PAYMENT: 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/CAM2/18-19/383 DATE : 17/01/2019

- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 TRANSPORT : Material Shall be transported only through reputed transporters on door delivery basis.
- 10 EARNEST MONEY DEPOSIT : If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 AGREEMENT : An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 SECURITY DEPOSIT : If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 DELIVERY PERIOD : The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14 SUIT OR PROCEEDINGS : Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15 FOR AND CONSIGNEE:The materials shall be delivered through reupted transporters on door delivery basis to BTPS stores,KPCL Kudathini,which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd,Kudathini-583152,Bellary-Dist, Karnataka-State,Mob No:9448290787, Fax No:08392-288616,Email Id:eestoresbtps@karnatakapower.com

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbps@karnatakapower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EOLA/18-19/384 DATE : 17/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	0464112138	HT TAPE HIGH VOLTAGE TAPE Ethylene propylene rubber, self amalgamating, moisture proof, high voltage tape suitable for insulation & jacketing upto 33KV Dielectric strength:800V/Mil Break down voltage:33KV (50mm width) Temp. range: -40degC to +130 deg C Tape size (W*TH*L):50mm X 0.76mm X 9.1Mtrs make: STANVAC	NUMBERS	8
2	0464112219	NC THINNER FOR ENAMEL PAINTS NC thinner for enamel paints	LITRES	50
3	2010202534	MULTI PURPOSE GREASE MULTI PURPOSE GREASE	KILOGRAMS	100
4	2010250008	PETROLEUM JELLY WHITE WHITE PETROLEUM JELLY FOR NON-MEDICAL BATTERY APPLICATIONs	KILOGRAMS	10
5	2030101581	BANIYAN CLOTH Baniyan cloth- 1st grade Colour: White Baniyan cloth size should not be less than 9" x 9"	KILOGRAMS	100
6	4207490119	WD 40 SPRAY IN AEROSOL CAN WD 40 SPRAY IN AEROSOL CAN 400 ML	NUMBERS	20
7	4400201019	CORA CLOTH High quality Chora Cloth for cleaning the panels.	METRES	200
8	4400821050	SUPRA BIN SB-5 SUPRA BIN SB-5 SIZE:290X363X145MM	NUMBERS	12
9	4400821068	SUPRA BIN SB-6 SUPRA BIN SB-6 SIZE:440X180X145MM	NUMBERS	12
10	4641111029	INSULATION TAPE RED STEELGRIP/MIRACLE MAKE ADHESIVE INSULATION TAPE 10 MTRS X 19 MM X 0.126 MM THK RED COLOUR.	NUMBERS	40
11	4641211015	PVC INSULATION TAPE YELLOW STEELGRIP/MIRACLE MAKE ADHESIVE INSULATION TAPE 10 MTRS X 19 MM X 0.126 MM THK yellow COLOUR.	NUMBERS	40

Important Dates:

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EOLA/18-19/384 DATE : 17/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
12	4641211023	INSULATION TAPE GREEN 10 MTRS X 19 MM X 0.125MM THK. YELLOW COLOUR. MAKE : MIRACLE/STEELGRIP.	NUMBERS	40
13	4641311010	PVC INSULATION TAPE- BLUE STEELGRIP/MIRACLE MAKE ADHESIVE INSULATION TAPE 10 MTRS X 19 MM X 0.126 MM THK BLUE COLOUR.	NUMBERS	40

Important Note:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 VALIDITY: The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 TERMS OF PAYMENT: 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/EOLA/18-19/384 DATE : 17/01/2019

- 7 **QUALITY** : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 **DEALERSHIP CERTIFICATE** : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 **TRANSPORT** : Material Shall be transported only through reputed transporters on door delivery basis.
- 10 **EARNEST MONEY DEPOSIT** : If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 **AGREEMENT** : An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 **SECURITY DEPOSIT** : If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 **DELIVERY PERIOD** : The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14 **SUIT OR PROCEEDINGS** : Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15 **FOR AND CONSIGNEE**:The materials shall be delivered through reupted transporters on door delivery basis to BTPS stores,KPCL Kudathini,which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd,Kudathini-583152,Bellary-Dist, Karnataka-State,Mob No:9448290787, Fax No:08392-288616,Email Id:eestoresbtps@karnatakpower.com

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakpower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO: (S&P)BTPS/EL/EOLA/18-19/385 DATE : 17/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	1005120116	FLEXIBLE CABLE- RED3 2.5 Sqmm. PVC flexible cable- red colour 1.1kv grade make: Finolex	COIL	2
2	1005120124	FLEXIBLE CABLE- YELLOW 3 2.5 Sqmm. PVC flexible cable- yellow colour 1.1kv grade make: Finolex	COIL	2
3	1005120132	FLEXIBLE CABLE- BLUE 3 2.5 Sqmm flexible cable- blue colour 1.1kv grade make: Finolex	COIL	2
4	1005120141	FLEXIBLE CABLE-BLACK 3 2.5 Sqmm. PVC flexible cable- Black colour 1.1kv grade make: Finolex	COIL	2
5	1005120159	FLEXIBLE CABLE-GREY 3 2.5 Sqmm. PVC flexible cable- Grey colour 1.1kv grade make:Finolex	COIL	4
6	1005120167	FLEXIBLE CABLE-GREEN 2 2.5 Sqmm PVC flexible cable- green colour 1.1kv grade make: finolex	COIL	2
7	1005120175	FLEXIBLE CABLE-RED 2 4 Sqmm. PVC flexible cable- Red colour 1.1kv grade make: Finolex	COIL	2
8	1005120183	FLEXIBLE CABLE-YELLOW 1 4 Sqmm. PVC flexible cable - yellow colour 1.1kv grade make: Finolex	COIL	2
9	1005120191	FLEXIBLE CABLE-BLUE 1 4 Sqmm. PVC flexible cable- blue colour 1.1kv grade make: Finolex	COIL	2
10	1005120205	FLEXIBLE CABLE - BLACK1 4 Sqmm. PVC flexibl cable - black colour 1.1kv grade make: Finolex	COIL	2

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EOLA/18-19/385 DATE : 17/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
11	1031001222	6 SQMM FLEXIBLE CU RED CABLE Single core,6 sqmm,multistrand, PVC Flexible copper cable, 1.1kv grade. Colour: Red. Make: Finolex, Havells, Delton	COIL	2
12	1031001231	6 SQMM CU FLEXIBLE YELLOWCABLE Single core,6 sqmm,multistrand, PVC Flexible copper cable, 1.1kv grade Colour: yellow. Make: Finolex, Havells, Delton	COIL	2
13	1031001249	6 SQMM CU FLEXIBLE BLUE CABLE Single core,6 sqmm,multistrand, PVC Flexible copper cable, 1.1KV grade. Colour: Blue. Make: Finolex, Havells, Delton	COIL	2
14	1031001257	6 SQMM CU FLEXIBLE BLACK CABLE Single core,6 sqmm,multistrand, PVC Flexible copper cable, 1.1KV grade. Colour: Black. Make: Finolex, Havells, Delton	COIL	2
15	1031001265	6 SQMM CU FLEXIBLE GREEN CABLE Single core,6 sqmm,multistrand, PVC Flexible copper cable, 1.1KV grade. Colour: Green. Make: Finolex, Havells, Delton	COIL	2
16	1400001959	TPN MCB-32 AMPS TPN MCB - 32 Amps Suitable for High Inductive Load & High Inrush current Rated operating voltage: 230/400VAC MAXimum operating voltage: 253/440VAC Rated frequency: 50Hz Rated short circuit breaking capacity:10kA Mounting: Clip on Din rail Make: Siemens/Havwells/ABB/Indokopp	NUMBERS	20
17	1400001967	TPN MCB-63 AMPS TPN MCB - 63 Amps Suitable for High Inductive Load & High Inrush current Rated operating voltage: 230/400VAC MAXimum operating voltage: 253/440VAC Rated frequency: 50Hz Rated short circuit breaking capacity:10kA Mounting: Clip on Din rail Make: Siemens/Havwells/ABB/Indokopp	NUMBERS	20

Important Dates:

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EOLA/18-19/385 DATE : 17/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
18	1448041898	MCB 100 A 4POLE 440 V MCB 100A, 440 V 4 POLE cat no 006571 Legrand make IS 8828-1996/IEC60898, or any other equilent make.	NUMBERS	10

Important Note:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 VALIDITY: The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 TERMS OF PAYMENT: 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/EOLA/18-19/385 DATE : 17/01/2019

- 9 TRANSPORT : Material Shall be transported only through reputed transporters on door delivery basis.
- 10 EARNEST MONEY DEPOSIT : If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 AGREEMENT : An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 SECURITY DEPOSIT : If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 DELIVERY PERIOD : The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14 SUIT OR PROCEEDINGS : Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15 FOR AND CONSIGNEE:The materials shall be delivered through reupted transporters on door delivery basis to BTPS stores,KPCL Kudathini,which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd,Kudathini-583152,Bellary-Dist, Karnataka-State,Mob No:9448290787, Fax No:08392-288616,Email Id:eestoresbtps@karnatakapower.com

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakapower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EOLA/18-19/386 DATE : 17/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	3231201059	TRUE RMS MULTIMETER	NUMBERS	2
		<p>Specifications:</p> <p>Maximum voltage between any terminal and earth ground: 1000 V DC or AC RMS Surge Protection: 8 kV peak per IEC 61010 W Fuse for mA inputs: 440 mA, 1000 V FAST Fuse W Fuse for A input: 11 A, 1000 V FAST Fuse Display: Digital: 6000 counts, updates 4/sec Bar Graph: 33 segments; Updates 40/sec Frequency: 10,000 counts Capacitance: 1,000 counts Altitude: Operating: 2000 m; Storage: 12,000 m Temperature: Operating: -10 °C to +50 °C; Storage: -30 °C to +60 °C Temperature coefficient: 0.1 X (specified accuracy / °C (< 18 °C or > 28 °C) Electromagnetic Compatibility (EN 61326-1:1997): In an RF field of 3 V/M, accuracy = specified accuracy except in temperature: specified accuracy ± 5 °C (9 °F) Relative Humidity: Noncondensing < 0 °C 0 % to 95 % @ 10 °C to 30 °C 0 % to 75 % @ 30 °C to 40 °C; 0 % to 40 % @ 40 °C to 50 °C Battery Life: Alkaline: 300 hrs typical Size (H x W x L): 4.3 cm x 9 cm x 18.5 cm Weight: 420 g Safety Compliances: ANSI/ISA S82.02.01, CSA C22.2-1010.1, IEC 61010 to 1000 V Overvoltage Category III, 600 V Overvoltage Category IV Measurement Ranges: 1. AC Voltage: 600mV-1000V, Resolution: 1Volt @ 1000V, Acc: 1.0%+3 [45-500Hz]. 2. DC MILLI Voltage: 600mV, Resolution: 0.1 MILLIVolt @ 1000V, Acc: .09%+2. 3. DC Voltage: 6V-1000V, Resolution: 1Volt @ 1000V, Acc: 0.15%+2. 4.OHMS: 600Ohms-50megaohms, Resolution: 0.1 @ 600ohms,0.01mrgaohms @ 50megaohms Acc: 1.5%+3. 5.Capacitance:1000nanofarad - 9999microfarad, Resolution: 1nanofarad-1microfarad, Acc: 10%. 6. AC Amps(True Rms): 600mA-10Amps, Resolution: 0.1mA @ 600mA, 0.1A @ 10Amps, Acc: 1.5%+3. 7. DC Amps: 60mA-10Amps, Resolution: 0.1mA @ 60mA, 0.1A @ 10Amps, Acc: 1.0%+3. 8. Hertz: 99Hz-99KHz,Resolution: 0.01hz @ 99Hz, 0.01Khz @ 99Khz,Acc: 0.1%+1.</p>		

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EOLA/18-19/386 DATE : 17/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Overload Protection: mA Fused, 44/100 A, 1000 V FAST Fuse, 600 mA overload for 2 minutes maximum. A Fused, 11 A, 1000 V FAST Fuse, 20 A overload for 30 seconds maximum. Make: Fluke 17B/Fluke 17B+/Motwane.		
2	3231213006	NON CONTACT THERMOMETER PORTABLE NON CONTACT THERMOMETER MAKE:FLUKE MODEL:62 SIGHTING: LASER RANGE:-30DEGC TO 500DEGC OPTICAL RESOLUTION: 106:1 EMMICIVITY:PRESET AT 0.95	NUMBERS	1
3	3231214029	LEAKAGE CURRENT TESTER AC/DC digital mini clamp meter Kew snap model 2010 range : AC-0mA to 20A , DC- 0 mA to 20A make: KYORITSU	NUMBERS	2
4	3250301064	AC/DC CLAMP METER 0-1000A AC/DC Digital Clamp meter (0-1000A) TECHNICAL FEATURES: 1)Measuring Range: a)AC current :0-1000A. b)DC current :0-1000A. c)AC Voltage :0-600V. d)DC Voltage :0-600V. e)Resistance:upto 60M ohms. f)frequency:10-10KHz. 2)Resolution AC/DC:0.1A. 3)Frequency response:DC,40Hz-400Hz. 4)Additional facilities:Diode test,Capacitance test,data hold,peak hold, Auto zero,Auto power off,max/min,NCV and continuity buzzer. 5)Applicable standards:IEC61060-1,CAT.IV 600V,IEC61010-2-032,IEC610-031 Make:- KYORITSU(MODEL-2056R)	NUMBERS	2

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

Important Note:

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO SE(S&P)BTPS/EL/EOLA/18-19/386 DATE : 17/01/2019

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 **VALIDITY:** The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 **TERMS OF PAYMENT:** 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 **QUANTITY :** The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 **GUARANTEE / WARRANTY :** The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 **PENALTY :** For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 **QUALITY :** If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 **DEALERSHIP CERTIFICATE :** Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 **TRANSPORT :** Material Shall be transported only through reputed transporters on door delivery basis.
- 10 **EARNEST MONEY DEPOSIT :** If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 **AGREEMENT :** An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/EOLA/18-19/386 DATE : 17/01/2019

supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.

- 12 SECURITY DEPOSIT :** If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 DELIVERY PERIOD :** The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14 SUIT OR PROCEEDINGS :** Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15 FOR AND CONSIGNEE:**The materials shall be delivered through reputed transporters on door delivery basis to BTPS stores,KPCL Kudathini,which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd,Kudathini-583152,Bellary-Dist, Karnataka-State,Mob No:9448290787, Fax No:08392-288616,Email Id:eestoresbtps@karnatakpower.com

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakpower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EOLA/18-19/389 DATE : 18/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	8235105005	50A,65KA MCCB C&S Triple Pole MCCB with extendable rotary handle & accessories (Motor duty), Type: CSE1S125MTU3P50, Range: 50A, with Short Circuit protection, Aux Contact: 1C/O contact, Make: C & S	NUMBERS	4
2	8235106001	63A,65KA MCCB C&S Triple Pole MCCB with extendable rotary handle & accessories (Motor duty), Type: CSE1S125MTU3P63, Range: 63A, with Short Circuit protection, Aux Contact: 1C/O contact, Make: C & S	NUMBERS	4
3	8235107008	100A,65KA MCCB C&S Triple Pole MCCB with extendable rotary handle & accessories (Motor duty), Type: CSE1S125MTU3P100, Range: 100A, with Short Circuit protection, Aux Contact: 1C/O contact, Make: C & S	NUMBERS	4
4	8235108004	160A,65KA MCCB C&S Triple Pole MCCB with extendable rotary handle & accessories (Motor duty), Type: CSE2S250MTU3P160, Range: 160A, with Short Circuit protection, Aux Contact: 1C/O contact, Make: C & S	NUMBERS	4
5	8235109001	175A,50KA MCCB C&S MCCB-175A, 3P WIN BREAK, Type: CSC443 UI-750V, Uimp-8Kvp, ICS-100%ICU, freq-50/60 Hz, Make: C&S.	NUMBERS	4
6	8235110009	220A, 65KA MCCB C&S Triple Pole MCCB with extendable rotary handle & accessories (Motor duty), Type: CSE2S250MTU3P220, Range: 220A, with Short Circuit protection, Aux Contact: 1C/O contact, Make: C & S	NUMBERS	4
7	8236013007	6A 3P MPCB Triple Pole MPCB with extendable rotary handle & accessories, Type: TCMS-32HI 6, Range: 6A, 50kA (Icu) with Short Circuit & Overload protection, Aux Contact: 1 C/O, Make: C & S	NUMBERS	6
8	8236014003	10A, 3P,MPCB Triple Pole MPCB with extendable rotary handle & accessories, Type: TCMS-32HI 10, Range: 10A, 50kA (Icu) with Short Circuit & Overload protection, Aux Contact: 1 C/O, Make: C & S	NUMBERS	6

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EOLA/18-19/389 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
9	8236015000	17A, 3P,MPCB Triple Pole MPCB with extendable rotary handle & accessories, ype: TCMS-32HI 17, Range: 17A, 50kA (Icu) with Short Circuit & Overload protection, Aux Contact: 1 C/O, Make: C & S	NUMBERS	6
10	8236016006	26A, 3P,MPCB Triple Pole MPCB with extendable rotary handle & accessories, Type: TCMS-32HI 26, Range: 26A, 50kA (Icu) with Short Circuit & Overload protection, Aux Contact: 1 C/O, Make: C & S	NUMBERS	6

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 VALIDITY: The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 TERMS OF PAYMENT: 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/EOLA/18-19/389 DATE : 18/01/2019

- 7 **QUALITY** : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 **DEALERSHIP CERTIFICATE** : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 **TRANSPORT** : Material Shall be transported only through reputed transporters on door delivery basis.
- 10 **EARNEST MONEY DEPOSIT** : If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 **AGREEMENT** : An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 **SECURITY DEPOSIT** : If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 **DELIVERY PERIOD** : The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14 **SUIT OR PROCEEDINGS** : Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15 **FOR AND CONSIGNEE**:The materials shall be delivered through reupted transporters on door delivery basis to BTPS stores,KPCL Kudathini,which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd,Kudathini-583152,Bellary-Dist, Karnataka-State,Mob No:9448290787, Fax No:08392-288616,Email Id:eestoresbtps@karnatakpower.com
Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakpower.com



OFFICE OF THE

PURCHASE ENQUIRY**PURCHASE ENQUIRY NO (S&P)BTPS/EL/CAM1/18-19/391 DATE : 18/01/2019**

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	1702020120	SPHERICAL RLR BRG-22222 EK/C3 SPERICAL ROLLER BEARING, BEARING NO: 22222 EK/C3, CAGE MATERIAL: STEEL, MAKE: SKF/FAG/TIMKEN	NUMBERS	1
2	1702020146	SPHERICAL RLR BRG-22226 EK/C3 SPERICAL ROLLER BEARING, BEARING NO: 22226 EK/C3, CAGE MATERIAL: STEEL, MAKE: SKF/FAG/TIMKEN	NUMBERS	1
3	1702170300	BEARING NO. 22216 EK/C3 SPERICAL ROLLER BEARING & SPL ROLLER THRUST BRNG, MAKE: SKF/FAG	NUMBERS	4
4	1702170563	BEARING No.22213EK SPHERICAL ROLLER BEARING NO.22213EK MAKE:SKF/FAG/NTN	NUMBERS	4
5	1706040761	BEARING No. 6305-2Z S/R DEEP GROVE BALL BEARING No.6305-2Z SKF/ FAG	NUMBERS	12
6	1713030038	UKP 212 -Y BEARING Y BEARING NO.UKP 212, MAKE:NTN/SKF/FAG	NUMBERS	2
7	1720010191	SLEEVE ASSY WITH LOCKNUT H316 SLEEVE ASSY WITH LOCK NUT AND WASHER - H 316, MAKE: SKF/FAG OR ANY OTHER REPUTED EQUIVALENT MAKE	NUMBERS	1
8	1720011375	SLEEVE NO: H313 Sleeve no: H313 along with lock nut and lock washer, MAKE:SKF/FAG/NTN	NUMBERS	4

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 **VALIDITY:** The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/CAM1/18-19/391 DATE : 18/01/2019

code.

- 3 **TERMS OF PAYMENT:** 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 **QUANTITY :** The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 **GUARANTEE / WARRANTY :** The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 **PENALTY :** For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 **QUALITY :** If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 **DEALERSHIP CERTIFICATE :** Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 **TRANSPORT :** Material Shall be transported only through reputed transporters on door delivery basis.
- 10 **EARNEST MONEY DEPOSIT :** If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 **AGREEMENT :** An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 **SECURITY DEPOSIT :** If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 **DELIVERY PERIOD :** The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14 **SUIT OR PROCEEDINGS :** Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.



OFFICE OF THE

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/CAM1/18-19/391 DATE : 18/01/2019

- 15** FOR AND CONSIGNEE: The materials shall be delivered through reputed transporters on door delivery basis to BTPS stores, KPCL Kudathini, which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee: The Executive Engineer (Stores) BT, Bellary Thermal Power Station, Karnataka Power Corporation Ltd, Kudathini-583152, Bellary-Dist, Karnataka-State, Mob No: 9448290787, Fax No: 08392-288616, Email Id: eestoresbtps@karnatakpower.com
Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINTENDING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakpower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/CAM1/18-19/393 DATE : 18/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	6410302053	V PULLEY-PCD 112MM, SPA, 02GRV TAPER LOCK V-GROOVE PULLEY, PCD:112MM, SEC:SPA, NO. OF GROOVE:02, MOC:CAST IRON, STATICALLY BALANCED TO G6.3, MAKE: PIX/SWATI PULLEY/SKF/FENNER	NUMBERS	1
2	6410302061	V PULLEY-PCD 280MM, SPA, 01GRV TAPER LOCK V-GROOVE PULLEY, PCD:280MM, SEC:SPA, NO. OF GROOVE:01, MOC:CAST IRON, STATICALLY BALANCED TO G6.3, MAKE: PIX/SWATI PULLEY/SKF/FENNER	NUMBERS	1
3	6410302088	V PULLEY-PCD 160MM, SPA, 03GRV TAPER LOCK V-GROOVE PULLEY, PCD:160MM, SEC:SPA, NO. OF GROOVE:03, MOC:CAST IRON, STATICALLY BALANCED TO G6.3, MAKE: PIX/SWATI PULLEY/SKF/FENNER	NUMBERS	2
4	6410402007	V PULLEY-PCD 1000MM, SPC,04GRV TAPER LOCK V-GROOVE PULLEY, PCD:1000MM, SEC:SPC, NO. OF GROOVE:04, MOC:CAST IRON, STATICALLY BALANCED TO G6.3, MAKE: PIX/SWATI PULLEY/SKF/FENNER	NUMBERS	2
5	6410402015	V PULLEY-PCD 315MM, SPC, 04GRV TAPER LOCK V-GROOVE PULLEY, PCD:315MM, SEC:SPC, NO. OF GROOVE:04, MOC:CAST IRON, STATICALLY BALANCED TO G6.3, MAKE: PIX/SWATI PULLEY/SKF/FENNER	NUMBERS	2
6	6410402023	V PULLEY-PCD 500MM, SPB, 02GRV TAPER LOCK V-GROOVE PULLEY, PCD:500MM, SEC:SPB, NO. OF GROOVE:02, MOC:CAST IRON, STATICALLY BALANCED TO G6.3, MAKE: PIX/SWATI PULLEY/SKF/FENNER	NUMBERS	1
7	6410402031	V PULLEY-PCD 170MM, SPB, 02GRV TAPER LOCK V-GROOVE PULLEY, PCD:170MM, SEC:SPB, NO. OF GROOVE:02, MOC:CAST IRON, STATICALLY BALANCED TO G6.3, MAKE: PIX/SWATI PULLEY/SKF/FENNER	NUMBERS	1
8	6420302035	V PULLEY-PCD 224MM, SPA, 02GRV TAPER LOCK V-GROOVE PULLEY, PCD:224MM, SEC:SPA, NO. OF GROOVE:02, MOC:CAST IRON, STATICALLY BALANCED TO G6.3, MAKE: PIX/SWATI PULLEY/SKF/FENNER	NUMBERS	2
9	6420402021	V PULLEY-PCD 500MM, SPB, 04GRV TAPER LOCK V-GROOVE PULLEY, PCD:500MM, SEC:SPB, NO. OF GROOVE:04, MOC:CAST IRON, STATICALLY BALANCED TO G6.3,	NUMBERS	1

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/CAM1/18-19/393 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		MAKE: PIX/SWATI PULLEY/SKF/FENNER		
10	6420402030	V PULLEY-PCD 170MM, SPB, 04GRV TAPER LOCK V-GROOVE PULLEY, PCD:170MM, SEC:SPB, NO. OF GROOVE:04, MOC:CAST IRON, STATICALLY BALANCED TO G6.3, MAKE: PIX/SWATI PULLEY/SKF/FENNER	NUMBERS	1

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 VALIDITY: The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 TERMS OF PAYMENT: 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO: (S&P)BTPS/EL/CAM1/18-19/393 DATE : 18/01/2019

- 8** DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9** TRANSPORT : Material Shall be transported only through reputed transporters on door delivery basis.
- 10** EARNEST MONEY DEPOSIT : If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a separat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11** AGREEMENT : An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12** SECURITY DEPOSIT : If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13** DELIVERY PERIOD : The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14** SUIT OR PROCEEDINGS : Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15** FOR AND CONSIGNEE: The materials shall be delivered through reputed transporters on door delivery basis to BTPS stores, KPCL Kudathini, which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee: The Executive Engineer(Stores)BT, Bellary Thermal Power Station, Karnataka Power Corporation Ltd, Kudathini-583152, Bellary-Dist, Karnataka-State, Mob No:9448290787, Fax No:08392-288616, Email Id: eestoresbtps@karnatakpower.com

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINTENDING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakpower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/CAM2/18-19/394 DATE : 18/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	2912071220	POLYSTER SLING-2TON,5MTR polyster double layered duplex webbing slings with reinforced eyes at both ends , with test certificate. capacity:2 ton length:5mtr make:Slingest,Feratarata,Tough ropes,Extra power.	NUMBERS	3
2	2912071238	POLYSTER SLINGS -5 TON,5MTR polyster double layered duplex webbing slings with reinforced eyes with both ends , with test certificate capacity: 5 ton length: 5mtr make: Slingest,Feratarata,Tough ropes,Extra power	NUMBERS	1
3	2912071335	WIRE SLING ROPE- 2 TON, 3MTR High quality wire sling rope with test certificate. capacity:2ton length: 3mtr make:Slingest,Ferartara,tough ropes,Extra power, usha martin.	NUMBERS	3
4	2912071343	WIRE SLING ROPE - 2TON , 2MTR High quality wire sling rope with test certificate. capacity:2ton length: 2mtr make:Slingest,Ferartara,tough ropes,Extra power, usha martin.	NUMBERS	2
5	2912071351	WIRE SLING ROPE - 5 TON X 3MTR High quality wire sling rope with test certificate. capacity:5ton length: 3mtr make:Slingest,Ferartara,tough ropes,Extra power, usha martin.	NUMBERS	3
6	2912071360	WIRE SLING ROPE- 5TON X 6MTR Mech. spliced steel wire rope sling Dia 25 MM x 6 MTR long as per IS : 5245 Part II / 1971 wire rope of dia 25 MM, 6 x 36 construction, Galvanised fibre core,RHO, 1960 with plain loops at both ends with manufacturer's test certificate. Make: slingest, ferartara, tough ropes, Extra power, usha martin	NUMBERS	2
7	2915204069	CHAIN PULLEY BLOCK 3TX6MTR CHAIN PULLEY BLOCK (SPUR GEAR TYPE), CAPACITY: 03 TONNE, LIFT: 06MTRS, DIMENSION: SMALL SIZE, LIGHT WEIGHT & SINGLE FALL MAKE: MORRIS/INDEF/CHACK/INGERSOL RAND/BRODYS.	NUMBERS	2

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/CAM2/18-19/394 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
8	2915206100	CHAIN PULLEY BLOCK 5T - 10MTR. CHAIN PULLEY BLOCK (SPUR GEAR TYPE), CAPACITY: 05 TONNE, LIFT: 10MTRS, DIMENSION: SMALL SIZE AND LIGHT WEIGHT Make:INDEF/INGERSOL RAND/MORRIS/CHACK.	NUMBERS	2
9	2915303041	CHAIN PULLEY BLOCK 3TON CHAIN PULLEY BLOCK (SPUR GEAR TYPE), CAPACITY: 03 TONNE, LIFT: 12 MTRS, DIMENSION: SMALL SIZE, LIGHT WEIGHT MAKE: MORRIS/INDEF/CHACK/INGERSOL RAND	NUMBERS	2
10	3650301951	POLYSTER DUPLEX SLING10TX5MTR Polyster duplex sling (tuff) 10ton x 5mtr,width 150mm with eye loops at both end MAKE:FERATERA/WIRE ROPE INDIA/USHAMARTIN / LIFTALL/SLINGEST	NUMBERS	2

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 **VALIDITY:** The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 **TERMS OF PAYMENT:** 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 **QUANTITY :** The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 **GUARANTEE / WARRANTY :** The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 **PENALTY :** For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/CAM2/18-19/394 DATE : 18/01/2019

week subject to a maximum of 5% of value of the delayed quantity shall be applicable.

- 7 **QUALITY** : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 **DEALERSHIP CERTIFICATE** : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 **TRANSPORT** : Material Shall be transported only through reputed transporters on door delivery basis.
- 10 **EARNEST MONEY DEPOSIT** : If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 **AGREEMENT** : An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 **SECURITY DEPOSIT** : If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 **DELIVERY PERIOD** : The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14 **SUIT OR PROCEEDINGS** : Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15 **FOR AND CONSIGNEE**:The materials shall be delivered through reupted transporters on door delivery basis to BTPS stores,KPCL Kudathini,which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd,Kudathini-583152,Bellary-Dist, Karnataka-State,Mob No:9448290787, Fax No:08392-288616,Email Id:eestoresbtps@karnatakapower.com

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINTENDING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakapower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/395 DATE : 18/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	5712302064	QUICK EXHAUST VALVE SIZE: 1/4" Quick exhaust valve, size : 1/4" Part No.: B 1052, Make: Schrader / Equivalent.	NUMBERS	5
2	5716502211	1" (M) NPT X 1" (M) NPT UNION SS 1" (M) NPT X 1" (M) NPT UNION CONNECTOR MATERIAL: SS	NUMBERS	30
3	5716502424	1/4" TO 1/4" FITTINGS-MRHS SS Union, 1/4" M NPT x 1/4" M NPT	NUMBERS	100
4	5716502459	1/2" TO 1/2" FITTINGS-MRHS SS Union, 1/2" M NPT x 1/2" M NPT	NUMBERS	100
5	5716502467	3/4" TO 1/2" FITTINGS-MRHS SS Reducers 3/4" M NPT x 1/2" M NPT	NUMBERS	100
6	5716502475	3/4" TO 1" FITTINGS-MRHS SS Reducers 3/4" M NPT x 1" M NPT	NUMBERS	100
7	5716502483	1" TO 1/2" FITTINGS-MRHS SS Reducers 1" M NPT x 1/2" M NPT	NUMBERS	100
8	5716502491	1/4" TO 1/4" T-JOINT FITTINGS- SS Union Tee, 1/4" M NPT x 1/4" M NPT	NUMBERS	100
9	5716502505	1/2" (M) X 3/8" (M) X 1/2" (M) SS Reducer Tee, 1/2" (M) NPT X 3/8" (M) NPT X 1/2" (M) NPT TEE JOINT FITTING	NUMBERS	100
10	5717303310	6 MM X 3/8" M X 6 MM TEE JOINT 3/8" X 6MM Male branch Tee joint Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 6mm Thread: 3/8" MALE Tube insertion length:15.5mm Make : JANATICS Pneumatic/exact equivalent	NUMBERS	100
11	5717303336	10 MM X 1/4" (M) X 10MM TEE JOINT 1/4" X 10MM Male branch Tee joint Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar	NUMBERS	150

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/395 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 10mm Thread: 1/4" MALE Tube insertion length:18mm Make : JANATICS Pneumatic/exact equivalent		
12	5717303352	1/4" * 8 MM STRAIGHT JOINT 1/4" X 8MM STRAIGHT MALE CONNECTOR Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 8mm Thread: 1/4" MALE Tube insertion length:16mm Make : JANATICS Pneumatic/exact equivalent	NUMBERS	200
13	5717303450	3/8" * 10 MM TEE JOINT 3/8" X 10MM Male branch Tee joint Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 10mm Thread: 3/8" MALE Tube insertion length:18mm Make : JANATICS Pneumatic/exact equivalent	NUMBERS	25
14	5717303476	3/8"*8MM TEE JOINT 3/8" X 8MM Male branch Tee joint Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 8mm Thread: 3/8" MALE Tube insertion length:16mm Make : JANATICS Pneumatic/exact equivalent	NUMBERS	25
15	5717303484	1/4"*8MM TEE JOINT 1/4" X 8MM Male branch Tee joint Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 8mm Thread: 1/4" MALE Tube insertion length:16mm	NUMBERS	100

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/395 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Make : JANATICS Pneumatic/exact equivalent		
16	5717303492	1/4"*10MM STRAIGHT JOINT 1/4" X 10 MM MALE CONNECTOR Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 10mm Thread: 1/4" MALE Tube insertion length:18mm Make : JANATICS Pneumatic/exact equivalent	NUMBERS	200

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Pre Qualification Requirements:

- 1 **Bidder shall be original equipment manufacturer (OEM) OR Original equipment supplier (OES) OR Authorized dealer for the indented materials**
- 2 **Bidder should have supplied similar materials to any Industrial / Power utilities as a proof the PO copy shall be submitted along with the offer.**

Terms and Conditions of Enquiry:

- 1 **VALIDITY:** The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 **TERMS OF PAYMENT:** 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/395 DATE : 18/01/2019

- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 TRANSPORT : Material Shall be transported only through reputed transporters on door delivery basis.
- 10 EARNEST MONEY DEPOSIT : If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 AGREEMENT : An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 SECURITY DEPOSIT : If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 DELIVERY PERIOD : The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14 SUIT OR PROCEEDINGS : Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15 FOR AND CONSIGNEE: The materials shall be delivered through reputed transporters on door delivery basis to BTPS stores, KPCL Kudathini, which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee: The Executive Engineer(Stores)BT, Bellary Thermal Power Station, Karnataka Power Corporation Ltd, Kudathini-583152, Bellary-Dist, Karnataka-State, Mob No:9448290787, Fax No:08392-288616, Email Id: eestoresbtps@karnatakpower.com
Yours Faithfully



OFFICE OF THE

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO SE(S&P)BTPS/EL/EEIC1/18-19/395 DATE : 18/01/2019

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakapower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/395 DATE : 18/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	5712302064	QUICK EXHAUST VALVE SIZE: 1/4" Quick exhaust valve, size : 1/4" Part No.: B 1052, Make: Schrader / Equivalent.	NUMBERS	5
2	5716502211	1" (M) NPT X 1" (M) NPT UNION SS 1" (M) NPT X 1" (M) NPT UNION CONNECTOR MATERIAL: SS	NUMBERS	30
3	5716502424	1/4" TO 1/4" FITTINGS-MRHS SS Union, 1/4" M NPT x 1/4" M NPT	NUMBERS	100
4	5716502459	1/2" TO 1/2" FITTINGS-MRHS SS Union, 1/2" M NPT x 1/2" M NPT	NUMBERS	100
5	5716502467	3/4" TO 1/2" FITTINGS-MRHS SS Reducers 3/4" M NPT x 1/2" M NPT	NUMBERS	100
6	5716502475	3/4" TO 1" FITTINGS-MRHS SS Reducers 3/4" M NPT x 1" M NPT	NUMBERS	100
7	5716502483	1" TO 1/2" FITTINGS-MRHS SS Reducers 1" M NPT x 1/2" M NPT	NUMBERS	100
8	5716502491	1/4" TO 1/4" T-JOINT FITTINGS- SS Union Tee, 1/4" M NPT x 1/4" M NPT	NUMBERS	100
9	5716502505	1/2" (M) X 3/8" (M) X 1/2" (M) SS Reducer Tee, 1/2" (M) NPT X 3/8" (M) NPT X 1/2" (M) NPT TEE JOINT FITTING	NUMBERS	100
10	5717303310	6 MM X 3/8" M X 6 MM TEE JOINT 3/8" X 6MM Male branch Tee joint Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 6mm Thread: 3/8" MALE Tube insertion length:15.5mm Make : JANATICS Pneumatic/exact equivalent	NUMBERS	100
11	5717303336	10 MM X 1/4" (M) X 10MM TEE JOINT 1/4" X 10MM Male branch Tee joint Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar	NUMBERS	150

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/395 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 10mm Thread: 1/4" MALE Tube insertion length:18mm Make : JANATICS Pneumatic/exact equivalent		
12	5717303352	1/4" * 8 MM STRAIGHT JOINT 1/4" X 8MM STRAIGHT MALE CONNECTOR Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 8mm Thread: 1/4" MALE Tube insertion length:16mm Make : JANATICS Pneumatic/exact equivalent	NUMBERS	200
13	5717303450	3/8" * 10 MM TEE JOINT 3/8" X 10MM Male branch Tee joint Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 10mm Thread: 3/8" MALE Tube insertion length:18mm Make : JANATICS Pneumatic/exact equivalent	NUMBERS	25
14	5717303476	3/8"*8MM TEE JOINT 3/8" X 8MM Male branch Tee joint Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 8mm Thread: 3/8" MALE Tube insertion length:16mm Make : JANATICS Pneumatic/exact equivalent	NUMBERS	25
15	5717303484	1/4"*8MM TEE JOINT 1/4" X 8MM Male branch Tee joint Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 8mm Thread: 1/4" MALE Tube insertion length:16mm	NUMBERS	100

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/395 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Make : JANATICS Pneumatic/exact equivalent		
16	5717303492	1/4"*10MM STRAIGHT JOINT 1/4" X 10 MM MALE CONNECTOR Type: One touch fitting Fluid : Air Max. Operating pressure : 10 bar Ambient temperature : 5Deg to 60Deg Applicable tube material: Polyurethane Applicable tube size (OD): Dia 10mm Thread: 1/4" MALE Tube insertion length:18mm Make : JANATICS Pneumatic/exact equivalent	NUMBERS	200

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 VALIDITY: The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 TERMS OF PAYMENT: 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/EEIC1/18-19/395 DATE : 18/01/2019

- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 TRANSPORT : Material Shall be transported only through reputed transporters on door delivery basis.
- 10 EARNEST MONEY DEPOSIT : If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 AGREEMENT : An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 SECURITY DEPOSIT : If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 DELIVERY PERIOD : The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14 SUIT OR PROCEEDINGS : Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15 FOR AND CONSIGNEE:The materials shall be delivered through reupted transporters on door delivery basis to BTPS stores,KPCL Kudathini,which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd,Kudathini-583152,Bellary-Dist, Karnataka-State,Mob No:9448290787, Fax No:08392-288616,Email Id:eesstoresbtps@karnatakpower.com

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINTENDING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakpower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	5714019017	PR GUAGE 0-60KSC BOTTOM ENTRY Pressure Gauge Range : 0-60 KSC Dial Size: 100mm Bourdon Material : Phosphor Bronze or SS 316 Casing : SS 304 Mounting : Direct Connection : 1/2"BSP(M) Bottom entry Window : Toughened Glass Enclosure : Weather Proof IP-65 Accuracy : +/- 1% of FSD Over Range Protection : 130% of the range Pointer : Micrometer Type Zero Adjust Make : Hebig-Manometer India/Waree/Wika/ Mass/H.Guru/Gluck India/Bells/General instuments Service : Supply & protection rack assembly	NUMBERS	2
2	5714002017	PRESSURE GAUGE -1 TO 1 KSC Pressure gauge for Elevation at Burner Range : (-)1 to 1 Kg/cm ² Dial size : 150 mm Sensing element : AISI 316 SS Diaphragm Mounting : Bottom connection Direct mounting Process connection : M20X1.5(M) Make: General instuments/ Mass/ H. guru / Equivalent General specification for all gauges : Dial : Aluminium white background with black numerals Pointer : Micro Zero adjustable type Scale : Concentric 270° linear Movement assembly : AISI 304 SS Mounting - Entry : Direct - Bottom Case : Die cast aluminium Bezel : Die cast aluminium with screwed ring type Window material : shattered proof glass Accuracy : + 1.0% of FSD Overrange : 130% of FSD Construction : weather proof, water tight & dust tight as per IP: 65 Safety : Neoprene blow out disc at the back	NUMBERS	6
3	5714011016	PRE.GAUGE (0-1KSC),40MM DIAL SMALL Pressure gauge for SADC Positioners Range : 0 - 1 Ksc	NUMBERS	25

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Dial size : 40 mm Mounting type : Back entry Connection : 1/8" BSP		
4	5714012021	PRE.GAUGE (0-2.5KSC),40MM DIAL SMALL Pressure gauge for SADC Positioners Range : 0 - 2.5 Ksc Dial size : 40 mm Mounting type : Back entry Connection : 1/8" BSP	NUMBERS	25
5	5714012039	PRE.GAUGE(0-4.2KSC), 40MM DIAL SMALL Pressure gauge for SADC Positioners Range : 0 - 4.2 Ksc Dial size : 40 mm Mounting type : Back entry Connection : 1/8" BSP	NUMBERS	25
6	5714012047	PRE.GAUGE (0-4.2KSC),50MM DIAL SMALL Pressure gauge for Air filter regulator Range : 0 - 4.2 Ksc Dial size : 50 mm Mounting type : Back entry Connection : 1/4" BSP	NUMBERS	25
7	5714012055	PRESSURE GAUGE 0-6 KSC MRH Service: Vessel Pressure Gauge Make : General Instruments Consortium Type : Panel mounted (with mtg. clamp), Back entry Range : 0-6 Ksc Dial size : 40 Dial : Aluminium white background, black marking & zero stop Sensing element : SS 316 bellow Movement material : SS 304 Accuracy : +/-1% Process connection : 1/4" BSP (M) Pointer : Aluminium, Black painted with micro adjustability facility Case material : Die cast Aluminium weather proof to IP-65 Scale : Linear, 270 degree arc, Graduated in metric unit Over range : Cover 130% of max. of scale	NUMBERS	5
8	5714013027	PRE.GAUGE (0-7KSC),50MM DIAL SMALL Pressure gauge for Air filter regulator Range : 0 - 7 Ksc Dial size : 50 mm	NUMBERS	25

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Mounting type : Back entry Connection : 1/4" BSP		
9	5714013043	PRESSURE GAUGE 0-10KSC 1/2"MRH Service: Conveying Pressure Gauge Make : General Instruments Consortium Type : Field mounted, Direct entry Range : 0-10 Ksc Dial size : 60 Dial : Aluminium white background, black marking & zero stop Sensing element : SS 316 bellow Movement material : SS 304 Accuracy : +/-1% Process connection : 1/2" NPT (M) Pointer : Aluminium, Black painted with micro adjustability facility Case material : Die cast Aluminium weather proof to IP-65 Scale : Linear, 270 degree arc, Graduated in metric unit Over range : Cover 130% of max. of scale	NUMBERS	10
10	5714013051	PR GAUGE 0-10KSC BACK ENTRY Pressure Gauge Range : 0-10 KSC Dial Size: 100mm Bourdon Material : Phosphor Bronze or SS 316 Casing : SS 304 Mounting : Flush Panel mounting alongwith bracket Connection : 1/2"BSP(M) Back entry Window : Toughened Glass Enclosure : Weather Proof IP-65 Accuracy : +/- 1% of FSD Over Range Protection : 130% of the range Pointer : Micrometer Type Zero Adjust Make : Hebig-Manometer India/Waree/Wika/ Mass/H.Guru/Gluck India/Bells/General instuments Service : Main turbine & LPBP governing rack	NUMBERS	4
11	5714016026	PRESSURE GAUGE 0-25 KSC (B T) Pressure gauge for Elevation at Burner Range : 0-25 Kg/cm3 Dial size : 150 mm Sensing element :Bourdon tube Mounting : Bottom connection Direct mounting Process connection : M20X1.5(M) Make: General instuments/ Mass/ H. guru / Equivalent General specification for all gauges : Dial : Aluminium white background with black numerals	NUMBERS	8

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

SI No	Item Code	Item Name/Specification	Unit	Required Quantity
		<p>Pointer : Micro Zero adjustable type Scale : Concentric 270° linear Movement assembly : AISI 304 SS Mounting - Entry : Direct - Bottom Case : Die cast aluminium Bezel : Die cast aluminium with screwed ring type Window material : shattered proof glass Accuracy : + 1.0% of FSD Overrange : 130% of FSD Construction : weather proof, water tight & dust tight as per IP: 65 Safety : Neoprene blow out disc at the back</p>		
12	5714017014	<p>PRESSURE GAUGE 0-40 KSC</p> <p>Pressure gauge for Elevation at Burner Range : 0-40 Kg/cm² Dial size : 150 mm Sensing element : AISI 316 SS Diaphragm Mounting : Bottom connection Direct mounting Process connection : M20X1.5(M) Make: General instruments/ Mass/ H. guru / Equivalent</p> <p>General specification for all gauges :</p> <p>Dial : Aluminium white background with black numerals Pointer : Micro Zero adjustable type Scale : Concentric 270° linear Movement assembly : AISI 304 SS Mounting - Entry : Direct - Bottom Case : Die cast aluminium Bezel : Die cast aluminium with screwed ring type Window material : shattered proof glass Accuracy : + 1.0% of FSD Overrange : 130% of FSD Construction : weather proof, water tight & dust tight as per IP: 65 Safety : Neoprene blow out disc at the back</p>	NUMBERS	16
13	5714018011	<p>PRESSURE GAUGE 0-60 KSC</p> <p>Pressure gauge for Elevation at Burner Range : 0-60 Kg/cm² Dial size : 150 mm Sensing element : AISI 316 SS Diaphragm Mounting : Bottom connection Direct mounting Process connection : M20X1.5(M) Make: General instruments/ Mass/ H. guru / Equivalent</p> <p>General specification for all gauges :</p>	NUMBERS	2

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO: (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		<p>Dial : Aluminium white background with black numerals Pointer : Micro Zero adjustable type Scale : Concentric 270° linear Movement assembly : AISI 304 SS Mounting - Entry : Direct - Bottom Case : Die cast aluminium Bezel : Die cast aluminium with screwed ring type Window material : shattered proof glass Accuracy : + 1.0% of FSD Overrange : 130% of FSD Construction : weather proof, water tight & dust tight as per IP: 65 Safety : Neoprene blow out disc at the back</p>		
14	5714021020	<p>PRESSURE GAUGE, RANGE:0-160KSC PRESSURE GAUGE, GLYCERINE FILLED, RANGE: 0- 160 KSC, DIAL SIZE: 80 MM, BOURDON MATERIAL: PHOSPHOR BRONZE/SS 316, CASING: SS 304, MOUNTING: DIRECT, CONNECTION: 1/2" BSP(M) BOTTOM ENTRY, WINDOW: TOUGHENED GLASS, ENCLOSURE: WEATHER PROOF IP-65, ACCURACY: +/- 1% OF FSD, OVER RANGE PROTECTION: 130 % OF THE RANGE, POINTER: MICROMETER TYPE ZERO ADJUST, MAKE: HEBIG-MANOMETER INDIA/WAREE /WIKA/MASS/H GURU/GLUCK INDIA/BELLS /GENERAL INSTRUMENTS, SERVICE: HP BYPASS OIL SUPPLY UNIT.</p>	NUMBERS	2
15	5714022034	<p>PRESSURE GAUGE,RANGE:0-250KSC PRESSURE GAUGE, GLYCERINE FILLED, RANGE: 0- 250 KSC, DIAL SIZE: 80 MM, BOURDON MATERIAL: PHOSPHOR BRONZE/SS 316, CASING: SS 304, MOUNTING: DIRECT, CONNECTION: 1/2" BSP(M) BOTTOM ENTRY, WINDOW: TOUGHENED GLASS, ENCLOSURE: WEATHER PROOF IP-65, ACCURACY: +/- 1% OF FSD, OVER RANGE PROTECTION: 130 % OF THE RANGE, POINTER: MICROMETER TYPE ZERO ADJUST, MAKE: HEBIG-MANOMETER INDIA/WAREE /WIKA/MASS/H GURU/GLUCK INDIA/BELLS /GENERAL INSTRUMENTS, SERVICE: HP BYPASS OIL SUPPLY UNIT.</p>	NUMBERS	2

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
16	5714023014	<p>PRESSURE GAUGE-0 TO 600KSC</p> <p>Pressure Gauge- 0 to 600ksc, Spec: Pressure gauge with glycerine filled, Sensing element-Bourdon type, BOURDON MATERIAL : PHOSPHOR BRONZE OR SS316. Range: 0 to 600 ksc, Dial Size:6", DIAL MATERIAL: ALUMINIUM WHITE BACKGROUND WITH BLACK NUMERALS. End connection: 1/2" BSP male,THREAD PITCH 1.25MM MOUNTING: DIRECT, BOTTOM ENTRY. POINTER: MICRO ZERO ADJUSTABLE TYPE SCALE: CONCENTRIC 270 DEG LINEAR MOVEMENT ASSEMBLY: AISI 304 SS CASE: DIE CAST ALUMINIUM BEZEL: DIE CAST ALUMINIUM WITH SCREWED RING TYPE. WINDOW MATERIAL : SHATTERED PROOF GLASS. ACCURACY: +1.0% OF THE FSD. OVERANGE : 130% OF FSD CONSTRUCTION: WEATHER PROOF, WATER TIGHT & DUST TIGHT AS PER IP:65 SAFETY: NEOPRENE BLOW OUT DISC AT THE BACK Make : General InstRUMENTS /Mass PRECISION/ H guru/ GAUGES BOURDON / EQUIVALENT std</p>	NUMBERS	8
17	5714023022	<p>PRESSURE GAUGE(0-400)KSC</p> <p>Pressure Gauge- 0 to 400ksc, Spec: Pressure gauge with glycerine filled, Sensing element-Bourdon type, BOURDON MATERIAL : PHOSPHOR BRONZE OR SS316. Range: 0 to 400 ksc, Dial Size:10", (Red line indication at 209KSC on dial), DIAL MATERIAL: ALUMINIUM WHITE BACKGROUND WITH BLACK NUMERALS. End connection: 1/2" BSP male,THREAD PITCH 1.25MM MOUNTING: DIRECT, BOTTOM ENTRY. POINTER: MICRO ZERO ADJUSTABLE TYPE SCALE: CONCENTRIC 270 DEG LINEAR MOVEMENT ASSEMBLY: AISI 304 SS CASE: DIE CAST ALUMINIUM BEZEL: DIE CAST ALUMINIUM WITH SCREWED RING TYPE. WINDOW MATERIAL : SHATTERED PROOF GLASS. ACCURACY: +1.0% OF THE FSD. OVERANGE : 130% OF FSD CONSTRUCTION: WEATHER PROOF, WATER TIGHT & DUST TIGHT AS PER IP:65 SAFETY: NEOPRENE BLOW OUT DISC AT THE BACK Make : General InstRUMENTS /Mass PRECISION/ H guru/ GAUGES BOURDON / EQUIVALENT std</p>	NUMBERS	8

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
18	5714024011	<p>PRESSURE GAUGE (0 -1000) KSC</p> <p>Pressure Gauge- 0 to 1000ksc, Spec: Pressure gauge with glycerine filled, Sensing element-Bourdon type, BOURDON MATERIAL : PHOSPHOR BRONZE OR SS316. Range: 0 to 1000 ksc, Dial Size:10", DIAL MATERIAL: ALUMINIUM WHITE BACKGROUND WITH BLACK NUMERALS. End connection: 1/2" BSP male,THREAD PITCH 1.25MM MOUNTING: DIRECT, BOTTOM ENTRY. POINTER: MICRO ZERO ADJUSTABLE TYPE SCALE: CONCENTRIC 270 DEG LINEAR MOVEMENT ASSEMBLY: AISI 304 SS CASE: DIE CAST ALUMINIUM BEZEL: DIE CAST ALUMINIUM WITH SCREWED RING TYPE. WINDOW MATERIAL : SHATTERED PROOF GLASS. ACCURACY: +1.0% OF THE FSD. OVERANGE : 130% OF FSD CONSTRUCTION: WEATHER PROOF, WATER TIGHT & DUST TIGHT AS PER IP:65 SAFETY: NEOPRENE BLOW OUT DISC AT THE BACK Make : General InstRUMENTS /Mass PRECISION/ H guru/ GAUGES BOURDON / EQUIVALENT std.</p>	NUMBERS	8
19	5714510012	<p>TEMP GAUGE FOR MILL MOTOR</p> <p>H.T. Motor Bearing Temperature Detector service:Mill motor Type:mercury actuated temperature gauge Temperatuer& Material:Bourdon Range:0°to120°C Dial Size:150mm Dail colour: White with black marking Case:Heavy duty die cast aluminium stoved enamelled Black finished IP-55 weather proof,surface mounting case. Capillary:3m long fine bore steel capillary covered on with solid drawn Red DuralleumTeflon capillary, flexible at bottom entry of the case. Bulb/Stem:AISI SS 316,12.7mm ODx60mm Long Zero Adjust:Provided with External Zero Adjustment accuracy:+/-1%of FSD over range protection 110% of full scale Window:toughened Glass MAKE:H.GURU/PRECISSON MASS/M/S.GENERAL INST M/s Baumer Technologies india Private Ltd/DELTA</p>	NUMBERS	16

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

Important Note:

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

1. Quotations/Tenders/Offeres shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offeres.
3. Offeres without valid TIN will not be considered for evaluation.

3 **Bidder shall be original equipment manufacturer (OEM) OR Original equipment supplier (OES) OR Authorized dealer and shall furnish copy of OEM authorization certificate as a documentary proof**

4 **Bidder should have supplied similar materials to any Industrial / Power utilities as a proof the PO copy shall be submitted along with the offer**

5 **The firm shall submit original guarantee certificate from the manufacturer**

6 **Bidder shall supply general instruments/H GURU/Precision Mass/Gauges bourdon/Baumer Technologies/Hebig-manometer/Warec/Wika make gauges only**

Terms and Conditions of Enquiry:

- 1 **VALIDITY:** The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offeres sent by the agency.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 **TERMS OF PAYMENT:** 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 **QUANTITY :** The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 **GUARANTEE / WARRANTY :** The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 **PENALTY :** For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 **QUALITY :** If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 **DEALERSHIP CERTIFICATE :** Copy of valid dealership certificate shall be enclosed wherever

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.

- 9 TRANSPORT : Material Shall be transported only through reputed transporters on door delivery basis.
- 10 EARNEST MONEY DEPOSIT : If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 AGREEMENT : An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 SECURITY DEPOSIT : If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 DELIVERY PERIOD : The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14 SUIT OR PROCEEDINGS : Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15 FOR AND CONSIGNEE:The materials shall be delivered through reupted transporters on door delivery basis to BTPS stores,KPCL Kudathini,which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd,Kudathini-583152,Bellary-Dist, Karnataka-State,Mob No:9448290787, Fax No:08392-288616,Email Id:eestoresbtps@karnatakapower.com
Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakapower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	5714019017	PR GUAGE 0-60KSC BOTTOM ENTRY Pressure Gauge Range : 0-60 KSC Dial Size: 100mm Bourdon Material : Phosphor Bronze or SS 316 Casing : SS 304 Mounting : Direct Connection : 1/2"BSP(M) Bottom entry Window : Toughened Glass Enclosure : Weather Proof IP-65 Accuracy : +/- 1% of FSD Over Range Protection : 130% of the range Pointer : Micrometer Type Zero Adjust Make : Hebig-Manometer India/Waree/Wika/ Mass/H.Guru/Gluck India/Bells/General instruments Service : Supply & protection rack assembly	NUMBERS	2
2	5714002017	PRESSURE GAUGE -1 TO 1 KSC Pressure gauge for Elevation at Burner Range : (-)1 to 1 Kg/cm ² Dial size : 150 mm Sensing element : AISI 316 SS Diaphragm Mounting : Bottom connection Direct mounting Process connection : M20X1.5(M) Make: General instruments/ Mass/ H. guru / Equivalent General specification for all gauges : Dial : Aluminium white background with black numerals Pointer : Micro Zero adjustable type Scale : Concentric 270° linear Movement assembly : AISI 304 SS Mounting - Entry : Direct - Bottom Case : Die cast aluminium Bezel : Die cast aluminium with screwed ring type Window material : shattered proof glass Accuracy : + 1.0% of FSD Overrange : 130% of FSD Construction : weather proof, water tight & dust tight as per IP: 65 Safety : Neoprene blow out disc at the back	NUMBERS	6
3	5714011016	PRE.GAUGE (0-1KSC),40MM DIAL SMALL Pressure gauge for SADC Positioners Range : 0 - 1 Ksc	NUMBERS	25

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Dial size : 40 mm Mounting type : Back entry Connection : 1/8" BSP		
4	5714012021	PRE.GAUGE (0-2.5KSC),40MM DIAL SMALL Pressure gauge for SADC Positioners Range : 0 - 2.5 Ksc Dial size : 40 mm Mounting type : Back entry Connection : 1/8" BSP	NUMBERS	25
5	5714012039	PRE.GAUGE(0-4.2KSC), 40MM DIAL SMALL Pressure gauge for SADC Positioners Range : 0 - 4.2 Ksc Dial size : 40 mm Mounting type : Back entry Connection : 1/8" BSP	NUMBERS	25
6	5714012047	PRE.GAUGE (0-4.2KSC),50MM DIAL SMALL Pressure gauge for Air filter regulator Range : 0 - 4.2 Ksc Dial size : 50 mm Mounting type : Back entry Connection : 1/4" BSP	NUMBERS	25
7	5714012055	PRESSURE GAUGE 0-6 KSC MRH Service: Vessel Pressure Gauge Make : General Instruments Consortium Type : Panel mounted (with mtg. clamp), Back entry Range : 0-6 Ksc Dial size : 40 Dial : Aluminium white background, black marking & zero stop Sensing element : SS 316 bellow Movement material : SS 304 Accuracy : +/-1% Process connection : 1/4" BSP (M) Pointer : Aluminium, Black painted with micro adjustability facility Case material : Die cast Aluminium weather proof to IP-65 Scale : Linear, 270 degree arc, Graduated in metric unit Over range : Cover 130% of max. of scale	NUMBERS	5
8	5714013027	PRE.GAUGE (0-7KSC),50MM DIAL SMALL Pressure gauge for Air filter regulator Range : 0 - 7 Ksc Dial size : 50 mm	NUMBERS	25

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		Mounting type : Back entry Connection : 1/4" BSP		
9	5714013043	PRESSURE GAUGE 0-10KSC 1/2"MRH Service: Conveying Pressure Gauge Make : General Instruments Consortium Type : Field mounted, Direct entry Range : 0-10 Ksc Dial size : 60 Dial : Aluminium white background, black marking & zero stop Sensing element : SS 316 bellow Movement material : SS 304 Accuracy : +/-1% Process connection : 1/2" NPT (M) Pointer : Aluminium, Black painted with micro adjustability facility Case material : Die cast Aluminium weather proof to IP-65 Scale : Linear, 270 degree arc, Graduated in metric unit Over range : Cover 130% of max. of scale	NUMBERS	10
10	5714013051	PR GAUGE 0-10KSC BACK ENTRY Pressure Gauge Range : 0-10 KSC Dial Size: 100mm Bourdon Material : Phosphor Bronze or SS 316 Casing : SS 304 Mounting : Flush Panel mounting alongwith bracket Connection : 1/2"BSP(M) Back entry Window : Toughened Glass Enclosure : Weather Proof IP-65 Accuracy : +/- 1% of FSD Over Range Protection : 130% of the range Pointer : Micrometer Type Zero Adjust Make : Hebig-Manometer India/Waree/Wika/ Mass/H.Guru/Gluck India/Bells/General instuments Service : Main turbine & LPBP governing rack	NUMBERS	4
11	5714016026	PRESSURE GAUGE 0-25 KSC (B T) Pressure gauge for Elevation at Burner Range : 0-25 Kg/cm3 Dial size : 150 mm Sensing element :Bourdon tube Mounting : Bottom connection Direct mounting Process connection : M20X1.5(M) Make: General instuments/ Mass/ H. guru / Equivalent General specification for all gauges : Dial : Aluminium white background with black numerals	NUMBERS	8

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

SI No	Item Code	Item Name/Specification	Unit	Required Quantity
		<p>Pointer : Micro Zero adjustable type Scale : Concentric 270° linear Movement assembly : AISI 304 SS Mounting - Entry : Direct - Bottom Case : Die cast aluminium Bezel : Die cast aluminium with screwed ring type Window material : shattered proof glass Accuracy : + 1.0% of FSD Overrange : 130% of FSD Construction : weather proof, water tight & dust tight as per IP: 65 Safety : Neoprene blow out disc at the back</p>		
12	5714017014	<p>PRESSURE GAUGE 0-40 KSC</p> <p>Pressure gauge for Elevation at Burner Range : 0-40 Kg/cm² Dial size : 150 mm Sensing element : AISI 316 SS Diaphragm Mounting : Bottom connection Direct mounting Process connection : M20X1.5(M) Make: General instruments/ Mass/ H. guru / Equivalent</p> <p>General specification for all gauges :</p> <p>Dial : Aluminium white background with black numerals Pointer : Micro Zero adjustable type Scale : Concentric 270° linear Movement assembly : AISI 304 SS Mounting - Entry : Direct - Bottom Case : Die cast aluminium Bezel : Die cast aluminium with screwed ring type Window material : shattered proof glass Accuracy : + 1.0% of FSD Overrange : 130% of FSD Construction : weather proof, water tight & dust tight as per IP: 65 Safety : Neoprene blow out disc at the back</p>	NUMBERS	16
13	5714018011	<p>PRESSURE GAUGE 0-60 KSC</p> <p>Pressure gauge for Elevation at Burner Range : 0-60 Kg/cm² Dial size : 150 mm Sensing element : AISI 316 SS Diaphragm Mounting : Bottom connection Direct mounting Process connection : M20X1.5(M) Make: General instruments/ Mass/ H. guru / Equivalent</p> <p>General specification for all gauges :</p>	NUMBERS	2

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
		<p>Dial : Aluminium white background with black numerals Pointer : Micro Zero adjustable type Scale : Concentric 270° linear Movement assembly : AISI 304 SS Mounting - Entry : Direct - Bottom Case : Die cast aluminium Bezel : Die cast aluminium with screwed ring type Window material : shattered proof glass Accuracy : + 1.0% of FSD Overrange : 130% of FSD Construction : weather proof, water tight & dust tight as per IP: 65 Safety : Neoprene blow out disc at the back</p>		
14	5714021020	<p>PRESSURE GAUGE, RANGE:0-160KSC PRESSURE GAUGE, GLYCERINE FILLED, RANGE: 0- 160 KSC, DIAL SIZE: 80 MM, BOURDON MATERIAL: PHOSPHOR BRONZE/SS 316, CASING: SS 304, MOUNTING: DIRECT, CONNECTION: 1/2" BSP(M) BOTTOM ENTRY, WINDOW: TOUGHENED GLASS, ENCLOSURE: WEATHER PROOF IP-65, ACCURACY: +/- 1% OF FSD, OVER RANGE PROTECTION: 130 % OF THE RANGE, POINTER: MICROMETER TYPE ZERO ADJUST, MAKE: HEBIG-MANOMETER INDIA/WAREE /WIKA/MASS/H GURU/GLUCK INDIA/BELLS /GENERAL INSTRUMENTS, SERVICE: HP BYPASS OIL SUPPLY UNIT.</p>	NUMBERS	2
15	5714022034	<p>PRESSURE GAUGE,RANGE:0-250KSC PRESSURE GAUGE, GLYCERINE FILLED, RANGE: 0- 250 KSC, DIAL SIZE: 80 MM, BOURDON MATERIAL: PHOSPHOR BRONZE/SS 316, CASING: SS 304, MOUNTING: DIRECT, CONNECTION: 1/2" BSP(M) BOTTOM ENTRY, WINDOW: TOUGHENED GLASS, ENCLOSURE: WEATHER PROOF IP-65, ACCURACY: +/- 1% OF FSD, OVER RANGE PROTECTION: 130 % OF THE RANGE, POINTER: MICROMETER TYPE ZERO ADJUST, MAKE: HEBIG-MANOMETER INDIA/WAREE /WIKA/MASS/H GURU/GLUCK INDIA/BELLS /GENERAL INSTRUMENTS, SERVICE: HP BYPASS OIL SUPPLY UNIT.</p>	NUMBERS	2

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
16	5714023014	<p>PRESSURE GAUGE-0 TO 600KSC</p> <p>Pressure Gauge- 0 to 600ksc, Spec: Pressure gauge with glycerine filled, Sensing element-Bourdon type, BOURDON MATERIAL : PHOSPHOR BRONZE OR SS316. Range: 0 to 600 ksc, Dial Size:6", DIAL MATERIAL: ALUMINIUM WHITE BACKGROUND WITH BLACK NUMERALS. End connection: 1/2" BSP male,THREAD PITCH 1.25MM MOUNTING: DIRECT, BOTTOM ENTRY. POINTER: MICRO ZERO ADJUSTABLE TYPE SCALE: CONCENTRIC 270 DEG LINEAR MOVEMENT ASSEMBLY: AISI 304 SS CASE: DIE CAST ALUMINIUM BEZEL: DIE CAST ALUMINIUM WITH SCREWED RING TYPE. WINDOW MATERIAL : SHATTERED PROOF GLASS. ACCURACY: +1.0% OF THE FSD. OVERANGE : 130% OF FSD CONSTRUCTION: WEATHER PROOF, WATER TIGHT & DUST TIGHT AS PER IP:65 SAFETY: NEOPRENE BLOW OUT DISC AT THE BACK Make : General InstRUMENTS /Mass PRECISION/ H guru/ GAUGES BOURDON / EQUIVALENT std</p>	NUMBERS	8
17	5714023022	<p>PRESSURE GAUGE(0-400)KSC</p> <p>Pressure Gauge- 0 to 400ksc, Spec: Pressure gauge with glycerine filled, Sensing element-Bourdon type, BOURDON MATERIAL : PHOSPHOR BRONZE OR SS316. Range: 0 to 400 ksc, Dial Size:10",(Red line indication at 209KSC on dial), DIAL MATERIAL: ALUMINIUM WHITE BACKGROUND WITH BLACK NUMERALS. End connection: 1/2" BSP male,THREAD PITCH 1.25MM MOUNTING: DIRECT, BOTTOM ENTRY. POINTER: MICRO ZERO ADJUSTABLE TYPE SCALE: CONCENTRIC 270 DEG LINEAR MOVEMENT ASSEMBLY: AISI 304 SS CASE: DIE CAST ALUMINIUM BEZEL: DIE CAST ALUMINIUM WITH SCREWED RING TYPE. WINDOW MATERIAL : SHATTERED PROOF GLASS. ACCURACY: +1.0% OF THE FSD. OVERANGE : 130% OF FSD CONSTRUCTION: WEATHER PROOF, WATER TIGHT & DUST TIGHT AS PER IP:65 SAFETY: NEOPRENE BLOW OUT DISC AT THE BACK Make : General InstRUMENTS /Mass PRECISION/ H guru/ GAUGES BOURDON / EQUIVALENT std</p>	NUMBERS	8

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
18	5714024011	<p>PRESSURE GAUGE (0 -1000) KSC</p> <p>Pressure Gauge- 0 to 1000ksc, Spec: Pressure gauge with glycerine filled, Sensing element-Bourdon type, BOURDON MATERIAL : PHOSPHOR BRONZE OR SS316. Range: 0 to 1000 ksc, Dial Size:10", DIAL MATERIAL: ALUMINIUM WHITE BACKGROUND WITH BLACK NUMERALS. End connection: 1/2" BSP male,THREAD PITCH 1.25MM MOUNTING: DIRECT, BOTTOM ENTRY. POINTER: MICRO ZERO ADJUSTABLE TYPE SCALE: CONCENTRIC 270 DEG LINEAR MOVEMENT ASSEMBLY: AISI 304 SS CASE: DIE CAST ALUMINIUM BEZEL: DIE CAST ALUMINIUM WITH SCREWED RING TYPE. WINDOW MATERIAL : SHATTERED PROOF GLASS. ACCURACY: +1.0% OF THE FSD. OVERANGE : 130% OF FSD CONSTRUCTION: WEATHER PROOF, WATER TIGHT & DUST TIGHT AS PER IP:65 SAFETY: NEOPRENE BLOW OUT DISC AT THE BACK Make : General InstRUMENTS /Mass PRECISION/ H guru/ GAUGES BOURDON / EQUIVALENT std.</p>	NUMBERS	8
19	5714510012	<p>TEMP GAUGE FOR MILL MOTOR</p> <p>H.T. Motor Bearing Temperature Detector service:Mill motor Type:mercury actuated temperature gauge Temperatuer& Material:Bourdon Range:0°to120°C Dial Size:150mm Dail colour: White with black marking Case:Heavy duty die cast aluminium stoved enamelled Black finished IP-55 weather proof,surface mounting case. Capillary:3m long fine bore steel capillary covered on with solid drawn Red DuralleumTeflon capillary, flexible at bottom entry of the case. Bulb/Stem:AISI SS 316,12.7mm ODx60mm Long Zero Adjust:Provided with External Zero Adjustment accuracy:+/-1%of FSD over range protection 110% of full scale Window:toughened Glass MAKE:H.GURU/PRECISSON MASS/M/S.GENERAL INST M/s Baumer Technologies india Private Ltd/DELTA</p>	NUMBERS	16

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

Important Note:

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO SE(S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 **VALIDITY:** The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 **TERMS OF PAYMENT:** 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 **QUANTITY :** The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 **GUARANTEE / WARRANTY :** The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 **PENALTY :** For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 **QUALITY :** If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 **DEALERSHIP CERTIFICATE :** Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 **TRANSPORT :** Material Shall be transported only through reputed transporters on door delivery basis.
- 10 **EARNEST MONEY DEPOSIT :** If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 **AGREEMENT :** An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/EEIC1/18-19/396 DATE : 18/01/2019

supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.

- 12** SECURITY DEPOSIT : If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13** DELIVERY PERIOD : The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14** SUIT OR PROCEEDINGS : Any Legal suit arising out of the contract shall be initiated exclusives in the law court at Bellary, Karnataka State only.
- 15** FOR AND CONSIGNEE:The materials shall be delivered through reputed transporters on door delivery basis to BTPS stores,KPCL Kudathini,which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee:The Executive Engineer(Stores)BT,Bellary Thermal Power Station,Karnataka Power Corporation Ltd,Kudathini-583152,Bellary-Dist, Karnataka-State,Mob No:9448290787, Fax No:08392-288616,Email Id:eestoresbtps@karnatakpower.com

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakpower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEMM/18-19/397 DATE : 18/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	2701721317	C I SWING CHECK VALVE 100 NB CAST IRON SWING CHECK VALVES OF SIZE 100 MM, CLASS-125,FLANGED ENDS. PRODUCT SPECIFICATION: IS 5153:74 CL-125. MAIN DIMENSIONS; NOMINAL BORE-100 MM,LENGTH OF VALVE -292 MM, HIGHT OF VALVE FROM CENTRE-190 MM, FLANGE DETAILS AS PER ASME B16.1:89 CL 125 FLANGE OUTER DIA- 229MM, THICKNESS OF FLANGE-23.8 MM, PCD OF FLANGE HOLES 177.8MM, ON PCD NUMBER OF HOLES IS 4 AND DIA OF HOLES- 17.5 MM. MATERIALS;BODY,CAP,DISK ASSEMBLY-CAST IRON BS 1452 GR 220. DISK FACE RING, SEAT RING- BRONGE BS 1400-LG2. DISK NUT- BRASS BS 2874-CZ114. HINGE PIN-STAINLESS STEEL 416. MAKE: LEADER/V-TORK/KSB/L&T.	NUMBERS	4
2	2729301208	NON RETURN VALVE 125 NB NON RETURN VALVE(SWING TYPE) - 125 MADE OF CAST CARBON STEEL (ASTM A 26 Gr. WCB) BOLTED COVER WITH RENEWABLE S.S 410 (13%SR)WORKING PARTS FLANGED ENDS ASA 150#-NON-IBR Make:LEADER/V-TORK/KSB	NUMBERS	4
3	2741584045	BALL VALVES 20MM (3/4") Ball valves Specification : Make: BDK/KSB/AUDCO/BOSS Class : 150 Operating Pressure: 10 Ksc Body :brass End : Both end Screwed	NUMBERS	30

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 **VALIDITY:** The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEMM/18-19/397 DATE : 18/01/2019

- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 TERMS OF PAYMENT: 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 TRANSPORT : Material Shall be transported only through reputed transporters on door delivery basis.
- 10 EARNEST MONEY DEPOSIT : If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 AGREEMENT : An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 SECURITY DEPOSIT : If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 DELIVERY PERIOD : The materials shall be delivered with in One Month from the date of issue of purchase order.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO. SE(S&P)BTPS/EL/EEMM/18-19/397 DATE : 18/01/2019

- 14** SUIT OR PROCEEDINGS : Any Legal suit arising out of the contract shall be initiated exclusively in the law court at Bellary, Karnataka State only.
- 15** F O R AND CONSIGNEE: The material shall be delivered through reputed transporters on Door delivery basis to BTPS Stores, KPCL, Kudathini, which is situated on NH-63 approximately 24 Km from Bellary at the following address :
Consignee: The Executive Engineer(Stores)BT,
Bellary Thermal Power Station,
Karnataka Power Corporation Ltd.,
Kudathini -583 152,
Bellary - Dist., Karnataka - State,
Mobile no.: 9448290787, Fax No.: 08392 288616

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINDENTING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@karnatakapower.com

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEBM/18-19/398 DATE : 18/01/2019

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	3016040117	ALLUM. WELDING CABLE 95SQ MM ALLUMINIUM WELDING CABLE 95SQ MM, 600Amps CAPACITY MAKE: ADVANI OVERLIKON/IOL/ADOR	METRES	50
2	3016040133	AL WELDING CABLE 120SQMM ALUMINIUM WILDINING CABLE 120 SQUARE METRE MAKE:D&H/ESAB/ADOR. WITH ISI TRADE MARK.	METRES	1000
3	3016160121	HOSE PIPE (RED) -8 MM ACETYLENE HOSE(RED), SIZE: 8MM CONFIRMING TO IS 447-97-E12 OF BURSTING PR. 50 KSC. MAKE: ADOR/ESAB/D&H/L&T	METRES	200
4	3016160228	HOSE PIPE (BLUE)- 8MM OXYGEN HOSE(BLUE), SIZE: 8MM, CONFIRMING TO IS 447-97-E12 OF BURSTING PR. 50 KSC. MAKE: ADOR/ESAB/D&H/L&T	METRES	200
5	3016180326	HOSE CONNECTOR 8 MM HOSE CONNECTOR 8 MM	NUMBERS	50
6	4560307158	ALUMINIUM CABLE LUGS ALUMINIUM CABLE LUGS 120 SQ MM.	NUMBERS	50
7	4560407110	ALUMINIUM LUGS 95SQMM ALUMINIUM LUGS 95SQMM	NUMBERS	50
8	4560409139	150 SQMM AL LUGS STRAIGHT THRO 150 sqmm Aluminium lugs type: straight through	NUMBERS	50

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : **19/02/2019 15:00**
- 2 . Opening Date of quotations/tenders/offers : **19/02/2019 15:30**

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 VALIDITY: The rates offered shall be valid for a period of 180 days from the date of opening of the tender/quotation. KPCL is not responsible for any postal delays of offers sent by the agency.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO (S&P)BTPS/EL/EEBM/18-19/398 DATE : 18/01/2019

- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R , b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 **TERMS OF PAYMENT:** 100% Payment with full taxes & duties as per actuals after receipt and acceptance of materials at site within 30 days. If any other mode of payment is insisted / mentioned by the supplier, corporation reserves the right of loading the additional cost to arrive at the landed cost which may please be noted.
- 4 **QUANTITY :** The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 **GUARANTEE / WARRANTY :** The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 **PENALTY :** For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 **QUALITY :** If the materials supplied are found to be substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 **DEALERSHIP CERTIFICATE :** Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 **TRANSPORT :** Material Shall be transported only through reputed transporters on door delivery basis.
- 10 **EARNEST MONEY DEPOSIT :** If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperat sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 **AGREEMENT :** An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 **SECURITY DEPOSIT :** If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 **DELIVERY PERIOD :** The materials shall be delivered with in One Month from the date of issue of purchase order.

PURCHASE ENQUIRY

PURCHASE ENQUIRY NO:SE(S&P)BTPS/EL/EEBM/18-19/398 DATE : 18/01/2019

- 14** SUIT OR PROCEEDINGS : Any Legal suit arising out of the contract shall be initiated exclusively in the law court at Bellary, Karnataka State only.
- 15** FOR AND CONSIGNEE: The materials shall be delivered through reputed transporters on door delivery basis to BTPS stores, KPCL Kudathini, which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee: The Executive Engineer (Stores) BT, Bellary Thermal Power Station, Karnataka Power Corporation Ltd, Kudathini-583152, Bellary-Dist, Karnataka-State, Mob No: 9448290787, Fax No: 08392-288616, Email Id: eestoresbtps@karnatakapower.com
Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

SUPERINTENDING ENGINEER(S&P)BT
BELLARY THERMAL POWER STATION, KPCL
KUDTHINI, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtbs@karnatakapower.com