



(A GOVT. OF KARNATAKA ENTERPRISE)

Bellary Thermal Power Station

PURCHASE ENQUIRY

KST No 70100202 Dated 03/09/1984
CST No 70150205 Dated 03/09/1984
TIN No 29440405909 Dated 13/09/2005
CIN-U85110KA1970SGC001919

OFFICE OF THE
Superintending Engineer(S&P)
Bellary Thermal Power Station, KPCL
Plant Premises, Kudithini, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sesbtps@gmail.com

Sealed itemwise quotations/offers against below mentioned enquiries are invited from manufactures/authorised dealers/reputed suppliers. The details of these enquiries are also available on website www.karnatakapower.com .

Sl No	Enquiry No Date	Subject	Last Date Of Receipt /Opening of Tender
1	SESP/EL/EA1/EE(E)OLA/BTPS/20- 21/696 10/08/2020	Procurement of LT Switch gear & Motor spares.	09/09/2020 15:00 09/09/2020 15:30

The offers may be submitted well within due date of receipt. Any further details can be had from above office by written requisition.

Superintending Engineer(S&P)

PURCHASE ENQUIRY

OFFICE OF THE

PURCHASE ENQUIRY NO : SESP/EL/EA1/EE(E)OLA/BTPS/20-21/696 DATE : 10/08/2020

Sir,
Please send your quotation/offer with terms and conditions for the materials specified in the table below.

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
1	145300016B	1.5SQ MM FORK TYPE CU TRNL LUG 1.5 sq mm fork type copper terminal lug	NUMBERS	400
2	456032203B	CU.CRMP LUGS,SIZ.4SQMM,RINGM10 ITEM NAME:Copper crimping Lugs,Type:RING TERMINAL(DOWELL'S & EQIVLNT) ,CAT No.RS-7023,Size 4 Sq.mm,hole size-M10.Specification:Copper cable terminals ,RING TERMINAL TYPE,manufactured from oxygen free high conductivity(OFHC) copper containing less than 30 p.p.m oxygen in the metal and is completey free from copper oxide particles.Special type pin plating to be done to protect from corrosion,oxidation etc and to make trouble free during or after usage	NUMBERS	400
3	456031611B	CU.CRMP,95SQMM,M12,RING LUGS ITEM NAME:Copper crimping Lugs,Type:RING TERMINAL(DOWELL'S & EQIVLNT) ,CAT No.RS-7044,Size 95 Sq.mm,hole size-M12.Specification:Copper cable terminals ,RING TERMINAL TYPE,manufactured from oxygen free high conductivity(OFHC) copper containing less than 30 p.p.m oxygen in the metal and is completey free from copper oxide particles.Special type pin plating to be done to protect from corrosion,oxidation etc and to make trouble free during or after usage	NUMBERS	100
4	142303011B	AMMETER SWITCH 10 A KAYCE AMMETER SWITCH 10 A KAYCE	NUMBERS	10
5	456031604B	CU.CRMP LUGS,70 SQMM,M10,RING ITEM NAME:Copper crimping Lugs,Type:RING TERMINAL(DOWELL'S & EQIVLNT) ,CAT No.RS-7024,Size 6 Sq.mm,hole size-M10.Specification:Copper cable terminals ,RING TERMINAL TYPE,manufactured from oxygen free high conductivity(OFHC) copper containing less than 30 p.p.m oxygen in the metal and is completey free from copper oxide particles.Special type pin plating to be done to protect from corrosion,oxidation etc and to make trouble free during or after usage	NUMBERS	100
6	456031605B	CU.CRMP,10 SQMM,M12,RING LUGS ITEM NAME:Copper crimping Lugs,Type:RING TERMINAL(DOWELL'S & EQIVLNT) ,CAT No.RS-7028,Size 10 Sq.mm,hole size-M12.Specification:Copper cable terminals ,RING TERMINAL TYPE,manufactured from oxygen free high conductivity(OFHC) copper containing less than 30 p.p.m oxygen in the metal and is completey free from copper oxide particles.Special type pin plating to be done to protect from corrosion,oxidation etc and to make trouble free during or after usage	NUMBERS	400
7	456035201B	CU-LUG-PIN-ROUND - CP-9 - 1.5 ITEM: COPPER LUGS PIN-ROUND TYPE FOR 1.5 Sq.MM CABLE MAKE: DOWELL CAT No.: CP-9 SPEC.: COPPER LUGS PIN-ROUND TYPE - FOR 1.5 Sq.mm. COPPER MULTISTRAND CABLE.	NUMBERS	600
8	761020321B	CRANE PENDANT -4 WAY(PLASTIC) Plastic Pendant push button station box with actuator, contact element,gland,type:JPPPBS 4W,4 way, Make:Jai Balaji	NUMBERS	8

PURCHASE ENQUIRY NO : SESP/EL/EA1/EE(E)OLA/BTPS/20-21/696

DATE : 10/08/2020

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
9	761020324B	CRANE PENDANT-8WAY(ALLUMINIUM) Alluminium Pendant push button station box with actuator, contact element,gland,type:JAPBS 8W,8 way, Make:Jai Balaji	NUMBERS	6
10	691030122B	AMMETER 0-125A Mooving Iron Analog type Ammeter CTR 125/1A,Accuracy Class 1.0,Size 96mmX96mm, Panel Mounting,Scale 0-125/750A.Make Rishab/Meco/AE/Any other reputed Make	NUMBERS	5
11	691030124B	AMMETER 0-300A Mooving Iron Analog type Ammeter CTR 300/1A,Accuracy Class 1.0,Size 96mmX96mm, Panel Mounting,Scale 0-300/1800A.Make Rishab/Meco/AE/Any other reputed Make	NUMBERS	15
12	691030127B	AMMETER 0-2500A Mooving Iron Analog type Ammeter CTR 2500/1A,Accuracy Class 1.0,Size 96mmX96mm, Panel Mounting,Scale 0-2500A.Make Rishab/Meco/AE/Any other reputed Make	NUMBERS	10
13	691030123B	AMMETER 0-150A Mooving Iron Analog type Ammeter CTR 150/1A,Accuracy Class 1.0,Size 96mmX96mm, Panel Mounting,Scale 0-150/900A.Make Rishab/Meco/AE/Any other reputed Make	NUMBERS	15
14	145300017B	2.5SQ MM FORK TYPE CU TRNL LUG 2.5 sq mm fork type copper terminal lug	NUMBERS	600
15	761020331B	DC DISC BRAKE DC electromagnetic disc brake spring loaded fail safe brake Model: 14.458.14 VDC : 190V input power: 50W Bore 60.4 mm make: EMCO - Simplatroll	NUMBERS	1
16	691030128B	AMMETER 0-1250A Mooving Iron Analog type Ammeter CTR 1250/1A,Accuracy Class 1.0,Size 96mmX96mm, Panel Mounting,Scale 0-1250A.Make Rishab/Meco/AE/Any other reputed Make	NUMBERS	6
17	145300014B	2.5SQ MM RING TYPE CU TRNL LUG 2.5 SQ MM RING TYPE COPPER TERMINAL LUG	NUMBERS	600
18	145300015B	1.5SQ MM RING TYPE CU TRNL LUG 1.5 sq mm ring type copper terminal lug	NUMBERS	400
19	145300009B	50 SQ MM RING TYPE CU TRL LUG 50 sq mm RING TYPE COPPER TERMINAL LUG	NUMBERS	200
20	145300010B	25 SQ MM RING TYPE CU TRL LUG 25Sq mm ring type copper terminal lug	NUMBERS	400
21	145300008B	35 SQ MM RING TYPE CU TRL LUG 35 sq mm ring type copper terminal lug	NUMBERS	400

PURCHASE ENQUIRY NO : SESP/EL/EA1/EE(E)OLA/BTPS/20-21/696

DATE : 10/08/2020

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
22	145300011B	16 SQ MM RING TYPE CU TRL LUG 16 sq mm RING TYPE COPPER TERMINAL LUG	NUMBERS	400
23	145300012B	6 SQ MM RING TYPE CU TRL LUG 6 Sq mm RING TYPE COPPER TERMINAL LUG	NUMBERS	400
24	761020332B	DC DISK BRAKE-2 DC Electromagnetic disc brake Spring loaded fail safe brake Model No. 14.458.08 Voltage DC : 190 V Hub bore : P Bore: 41.48 Input power 25 W Make: EMCO-Simplatroll	NUMBERS	1
25	456040909B	50 SQMM AL LUGS STRAIGHT THROU 50 sqmm Aluminium lugs type: Straight through	NUMBERS	200
26	456040910B	70 SQMM AL LUGS STRAIGHT THROU 70 sqmm Aluminium lugs type: Straight Through	NUMBERS	100
27	456040911B	95 SQMM AL LUGS STRAIGHT THROU 95 sqmm Aluminium lugs type: straight through	NUMBERS	100
28	456040913B	150 SQMM AL LUGS STRAIGHT THRO 150 sqmm Aluminium lugs type: straight through	NUMBERS	100
29	456040105B	10 SQMM AL LUGS RING TYPE 10 sqmm Aluminium lugs type: Ring type	NUMBERS	400
30	456040106B	16 SQMM AL LUGS RING TYPE 16 sqmm Aluminium lugs type: ring	NUMBERS	400
31	456040908B	35 SQMM AL LUGS STRAIGHT 35 sqmm Aluminium lugs type: Straight through	NUMBERS	200
32	761020333B	NYLON HANGER CLAMP Glass filled Nylon Hanger Clamp, Nylon moulded, snap-on type support, catalogue no:106, Make: SAFETRACK, Susheel Eng. Corp Mumbai	NUMBERS	200
33	761020337B	CURRENT COLLECTOR FOR CWP EOT Current collector type: MACC 125 suitable for SF1 conductor system on straight track Make: Susheel Engineering Corporation (Safe Track).	NUMBERS	6



(A GOVT. OF KARNATAKA ENTERPRISE)

PURCHASE ENQUIRY

OFFICE OF THE

PURCHASE ENQUIRY NO : SESP/EL/EA1/EE(E)OLA/BTPS/20-21/696

DATE : 10/08/2020

Sl No	Item Code	Item Name/Specification	Unit	Required Quantity
34	761020336B	FOUR POLE HANGER CLAMP Four pole snap-on type hanger clamp suitable for SF 1 type DSL system Make : Susheel Engineering Corporation (Safetrack).	NUMBERS	150
35	761020338B	CURRENT COLLECTOR SHOE-CWP EOT Current collector shoe suitable for MACC 125 type current collector Make: Susheel Engineering Corporation (Safe Track).	NUMBERS	6
36	761020339B	CURCOLLECTOR SHOEHOLDER-CW EOT Current collector shoe holder suitable for MACC 125 type current collector Make: Susheel Engineering Corporation (Safe Track).	NUMBERS	6
37	456040915B	25 SQMM STRAIGHT TUBULAR LUG StraightLong tubular Alluminium lug- 25 Sqmm Make: Dowells	NUMBERS	200
38	761020121B	HOIST 24V DC FAIL SAFE BRAKE EMCO Simplatroil DC Fail Safe Brake, Model: SAB13zp, 24VDC Hub bore: Pilot, 40w Torque: 32NM, Serial no: J1007725.	NUMBERS	1
39	018101787K	HEX HEAD BOLT WITH NUT M6X30 HTS Hexagon head bolt with nut Size: M6X30 mm Length: 30 mm excluding head. Property class: 10.9 Threads: Full thread, Metric. Make: Unbrako/TVS/LPS/DFL/ TUFF/PFL/KFP or any other reputed make.	NUMBERS	300

Important Dates:

- 1 . Last date for receipt of quotations/tenders/offers : 09/09/2020 15:00
- 2 . Opening Date of quotations/tenders/offers : 09/09/2020 15:30

Important Note:

1. Quotations/Tenders/Offers shall be in a sealed cover with following superscription.
 - a) Purchase Enquiry Number and Date .
 - b) Date of opening
2. Bidders/Agencies shall invariably furnish valid TIN along with Quotations/Offers.
3. Offers without valid TIN will not be considered for evaluation.

Terms and Conditions of Enquiry:

- 1 VALIDITY : The rates offered shall be valid for a period of 180 days from the date fixed for receipt of tender/quotation.
- 2 The price shall be quoted per Unit exclusive of GST. The following components of the rates shall also be mentioned. a) F.O.R BTPS, b) Discount if any, c) GST, d) Freight and insurance charges e) itemwise HSN code.
- 3 TERMS OF PAYMENT : 100% Payment will be made within 30 days after receipt, verification and acceptance of all materials at BTPS stores. Payment will be made through NEFT/RTGS and all bank charges to suppliers account and agency shall submit bank

PURCHASE ENQUIRY

OFFICE OF THE

PURCHASE ENQUIRY NO : SESP/EL/EA1/EE(E)OLA/BTPS/20-21/696

DATE : 10/08/2020

account details along with invoice. The original bills/invoice in quadruplicate shall be raised in the name of paying authority i.e Deputy General Manager (Finance), KPCL, BTPS, Kudathini and sent to accounts department with a copy to the purchaser.

- 4 QUANTITY : The quantity mentioned in the enquiry is subjected to variation depending on the final requirements and Purchase order condition.
- 5 GUARANTEE / WARRANTY : The materials shall be guaranteed for a period of 12 months from the date of commissioning or 18 months from the date of dispatch whichever is earlier against manufacturing defects/bad workmanship. During this period any defects noticed shall be replaced free of cost at site without waiting for settlement of claims.
- 6 PENALTY : For delay in delivery of material beyond the stipulated delivery period, penalty @ 0.5 % per week subject to a maximum of 5% of value of the delayed quantity shall be applicable.
- 7 QUALITY : If the materials supplied are found to be of substandard, the materials will be rejected and action will be taken as per conditions of purchase order. Materials should be made of best quality in accordance with the specification duly indicating IS Code, Make , Brand etc.
- 8 DEALERSHIP CERTIFICATE : Copy of valid dealership certificate shall be enclosed wherever applicable. Copies of purchase orders placed by other TPS/ Companies shall be enclosed along with offer.
- 9 TRANSPORT : Material Shall be transported only through reputed transporters on door delivery basis.
- 10 EARNEST MONEY DEPOSIT : If the quoted value is more than Rs. 1,00,000.00(One Lakh Only) then 1% of the quoted value shall be furnished in the form of DD/BG drawn in favour of Deputy General Manager (Finance)- BT, BTPS, Karnataka Power Corporation Limited, Kudathini - 583152, from any nationalised / Scheduled Bank with minimum validity of 3(Three) months in a seperate sealed cover. Exemption Certificate for EMD/SD issued by NSIC or By any State Govt or Central Govt will be considered.
- 11 AGREEMENT : An agreement shall be executed by the supplier (as per KPCL format) immediately after receipt and acceptance of Purchase Order on e-stamped duty paper Worth of Rs 100.00 before effecting supply. E.M.D. will be forfeited if the supplier fails to supply the materials after acceptance / placing of purchase order.
- 12 SECURITY DEPOSIT : If the landing cost of the Purchase order exceeds Rs. 1,00,000.00(Rs One Lakh Only), then 5% of the landing cost shall be furnished as SD in the form of DD or BG issued from any Nationalised/Scheduled Bank and it shall be valid for the entire contract/guarantee period before effecting the supply.
- 13 DELIVERY PERIOD : The materials shall be delivered with in One Month from the date of issue of purchase order.
- 14 FORCE MAJEURE CLAUSE: If at any time during the continuation of the contract, the performance in whole or in part or any obligation under this contract shall be prevented or delayed by reason of act of god such as war, fire, flood, earthquake, acts of Civil Commotion, acts of Govt. etc.,(herein after referred to as eventuality), then provided not in writing of such happenings of eventuality is given, within 15 days of occurrence thereof either party shall on the reason of such eventuality can terminate this contract without have any claim for damage against the other in respect of non-performance or delay in performance of the contract, provided such occurrence of eventuality has prevented or delayed the execution / performance of contract for a period exceeding 60 days.
- 15 SUIT OR PROCEEDINGS : Any Legal suit arising out of the contract shall be initiated exclusively in the law court at Bellary, Karnataka State only.
- 16 FOR AND CONSIGNEE: The materials shall be delivered through reputed transporters on door delivery basis to BTPS stores, KPCL Kudathini, which is situated on NH-63 approximately 24 km from Bellary at the following address, Consignee: The Executive Engineer(Stores)BT, Bellary Thermal Power Station, Karnataka Power Corporation Ltd, Kudathini-583152, Bellary-Dist, Karnataka-State, Mob No:9448290787, Fax No:08392-288616, Email Id: eestoresbtps@karnatakapower.com

Yours Faithfully

For KARNATAKA POWER CORPORATION LIMITED

Superintending Engineer(S&P)



(A GOVT. OF KARNATAKA ENTERPRISE)

PURCHASE ENQUIRY

OFFICE OF THE

PURCHASE ENQUIRY NO : SESP/EL/EA1/EE(E)OLA/BTPS/20-21/696

DATE : 10/08/2020

Bellary Thermal Power Station, KPCL
Plant Premises, Kudithini, PIN-583152
Phone 9448290584 Fax 8392288616
Mail sespbtps@gmail.com